12MS6771

HENRY SCHEIN® MEDICAL

# EQUIPMENT Q4

## YOUR SOURCE FOR THE LATEST IN MEDICAL EQUIPMENT

Rely on Us

*2012 Edition*

HENRY SCHEIN® MEDICAL

## In This Issue...


Thermometry.....2, 21
ECG & Accessories .....3
Imaging ..... 4–5
Scales ..... 7, 9
Spirometry ..... 8, 16, 20
Lights .....9
Point of Care Testing .....11, 22
Lab .....12–15
Specialty Exam Tables .....17
Pulse Oximetry .....10, 16, 18
Colposcopes .....19
Urinalysis.....22



ENHANCE YOUR PRACTICE WITH THE DISCOVERY BONE DENSITOMETRY FROM HOLOGIC!




HOLOGIC®
The Women's Health Company

**Special Finance Rates Available on Equipment and Technology**

**Section 179 is $139,000!**

**PLUS...50% Bonus Depreciation Qualification!**

**Ask Henry Schein Financial Services How You Can Benefit!**

**1-877-776-7286**
**or hsfs@henryschein.com**

HENRY SCHEIN® MEDICAL

HENRY SCHEIN® FINANCIAL SERVICES
*Business Solutions for Healthcare Practitioners*

Henry Schein Financial Services or Henry Schein does not provide tax advice. Please check with your personal advisors. Henry Schein Financial Services is not a bank, does not represent itself as such, and does not conduct banking activities.
© 2012 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors.

GO from OW! to WOW!™

**Pronto-7®**

**Noninvasive and Quick Total Hemoglobin Spot Check Device!**

- Measures
  - Total Hemoglobin (SpHb®)
  - Oxygen Saturation ($SpO_2$)
  - Pulse Rate (PR)
  - Perfusion Index (PI)
- Test time approximately 1 minute
- Touch screen & configurable
- Wireless Printing Solutions
  - Multiple Report Outputs
- Stores Patient Trending Information
- Connectivity
  - EMR ready
  - Wireless & Bluetooth

MASIMO®

HENRY SCHEIN®
Henry Schein, Inc. • 135 Duryea Road • Melville, NY 11747

To Order: 1-800-P-SCHEIN (1-800-772-4346) 8am–9pm (et)
To Fax: 1-800-329-9109 24 Hours
**www.henryschein.com/medical**

Join Our Community
Join Us on Facebook | Follow Us on Twitter
View Us on YouTube
facebook twitter YouTube

80 Since 1932

*Work more efficiently.*
*Better manage your practice, and...*

**Deliver More Advanced Care**
**with Welch Allyn products.**

Connex® ProBP™ 3400
Digital Blood Pressure Device



Spot Vital Signs® Device

Spot Vital Signs® LXi Device

Connex® Vital Signs Monitor
6000 Series

For nearly 100 years, we've concentrated our efforts on designing quality products and solutions that help you take the focus off of the device you're using and put the focus where it should be—on your patient. We are confident that we can meet your needs with accurate and efficient products.

For more information, contact your local Welch Allyn representative today or visit www.welchallyn.com.

Welch Allyn®
Advancing Frontline Care™

© 2012 Welch Allyn MC9644


Welch Allyn

**OAE Hearing Screener**

Accurate, Objective, and Easy to Use

Detect hearing loss, prevent language disabilities, and improve patient outcomes with the OAE Hearing Screener, the child-friendly hearing screener that's objective, accurate, and easy to use. By requiring minimal patient cooperation, the OAE Hearing Screener lets you precisely and objectively screen for hearing loss in newborns, infants, toddlers, preschool, and school-age children in just seconds.

- Fast, accurate results—about 10 seconds per ear
- Objective testing—no patient response required
- Clear results that don't require caregiver interpretation
- 10-test memory storage in device
- Simple printer interface for easy patient data documentation

#29400, Hearing Screener Set (Includes Printer)
**(462-8698)**.....ea

#29420, OAE Ear Tip Sampler Pack (Newborn, Infant, Pediatric, and Adolescent)
**(603-4610)**.....20/pkg



#29422, Newborn Tree Ear Tips
**(901-5040)**.....100/bag

#29424, Ear Tips, Infant
**(186-8084)**.....100/bag

#29426, Ear Tips, Foam, Pediatric
**(403-5776)**.....100/bag

#29428, Ear Tips, Foam, Adolescents
**(119-2414)**.....100/bag

#29440, Hard Carrying Case (Optional)
**(657-0025)**.....ea

#29402, OAE Ear Probe
**(108-5525)**.....ea

Welch Allyn

**Ear Wash System Plus**

- Simplicity of operation; quick and easy to set up
- Pressure regulation: regulates the output pressure to prevent damage to the tympanic membrane or ossicular chain
- Portable
- Temperature indicator/control: light will turn green when water is at body temperature and will automatically turn off if water gets too hot
- Suctioning action: reduces messy outflow
- Multifunctional disposable tip: provides a seal at ear canal; has an outflow channel to direct water back to drain, and a filter in tip to collect cerumen, thus allowing practitioner to see when cleaning is complete; can be used on children and adults
- 1-year warranty

With enhanced water pressure and unique Hydrovac action, this award-winning system is the obvious irrigation choice for any practice. It eliminates messy overflow by automatically dislodging, removing, and disposing of earwax, making it the easiest, cleanest, most effective way to remove cerumen.



#29350, System
**(566-2671)**.....ea
CPT® Code: 69210

#29360, Ear Tips
**(566-0007)**.....25/box

#29330, Hose Assembly
**(566-5560)**.....ea

#29372, Snap Aerator
**(280-5320)**.....ea

#29373, Aerator Adapter Kit
**(708-9650)**.....ea

Welch Allyn

**Thermoscan® Pro 4000 Ear Thermometer**

Offers speed and accuracy for all types of patients. Exclusive ExacTemp technology provides an active user feedback system to ensure proper positioning and improved accuracy.

- Improved accuracy and repeatability through a preheated probe tip and sensor
- Automatic probe cover eject button for quick and easy disposal of used probe covers
- Exclusive ExacTemp technology provides an active user feedback light, guiding proper probe positioning and improved accuracy
- Preheated probe tip minimizes cool-down effect experienced when taking repeat temperatures, improving both accuracy and repeatability
- Probe cover detection system improves accuracy by ensuring precise infrared heat transfer
- Innovative security features reduce the occurrence of theft in the hospital environment (only available with Base Station)

Thermometer
**(566-3430)**.....ea

Thermometer, with Recharging Base Station
**(894-6722)**.....ea

Rechargeable Battery Pack
**(566-9664)**.....ea

Recharging Base Station and Probe Cover Refill Dispenser
**(854-4849)**.....ea

Thermometer, with Mobile Security Stand
**(566-3898)**.....ea

Thermometer for Home Use
**(729-4760)**.....ea

Welch Allyn

**Universal Desk Charger Sets with PanOptic™ Ophthalmoscope and MacroView™ Otoscope**

Keep your diagnostic instruments powered up and ready to go with our most popular handles and instruments in one easy-to-order set.

- Colored LEDs signal power is on and instruments are charging
- Advanced circuitry ensures constant, safe charging, and optimal, long lasting lamp life
- Optional wall mount kit and/or specula tray

#71811-MPS
**(566-3526)**.....ea
Contains: universal desk charger, #11810 PanOptic™ ophthalmoscope, #23810 MacroView™ otoscope & 2–#71900 lithium-ion handles.

#71811-MP
**(670-0724)**.....ea
Contains: universal desk charger, #11810 PanOptic™ ophthalmoscope, #23810 diagnostic otoscope & 2–#71670 nicad handles.

#71641-M
**(977-0545)**.....ea
Contains: universal desk charger, #11720 coaxial ophthalmoscope, #23810 MacroView™ otoscope & 2–#71670 nicad handles.

Welch Allyn

**AudioScope 3® Set**

- Halogen light and fiber optics offer brilliant view of the tympanic membrane and ear canal before and during hearing screening
- Choice of 3 screening levels: 20 dB HL, 25 dB HL, and 40 dB HL at 500 Hz, 1000 Hz, 2000 Hz, and 4000 Hz
- Built-in 1000-Hz pretone so that patients can practice listening
- Tones are presented at random intervals for objectivity
- Unique ear-tip design eliminates the need for headphones
- Rechargeable and always ready for use
- Lightweight and handheld
- 1-year warranty extendable to 3 years with annual calibration

#92680
**(566-5272)**.....ea
Contains: AudioScope 3®, set of 3 AudioSpec specula, 110–130-V charging transformer, charging stand, recording forms, & 3.5-V halogen lamp.

CARDIAC science

**Burdick Atria 8500 ECG**

This 12-lead resting portable ECG/EKG shows you what you need, comfortably. Features a friendly user interface, multiangle 7-inch widescreen, and a color display that makes reading waveform data easy. Protocol choices streamline your workflow.

Benefits:

- *Convenience.* Export records to network drives, USB, or EMRs. Store up to 300 ECG records
- *Connectivity.* Comes with Ethernet connectivity as a standard feature. It's compatible with wireless 802.11, and has bidirectional communication with our HeartCentrix® connectivity solution
- *Ease of use.* The easy-to-clean keyboard, dedicated function keys, intuitive menu, and on-screen QuickTips make it easy to use
- *Performance.* The AccuPrint™ feature restricts ECG printing if 10-second data quality is poor, ensuring a clear printout and eliminating retakes
- *Pediatric applications.* The optional interpretation package lets you calculate interpretations down to a 1-day-old infant
- *Flexibility.* The unit manually or automatically produces high quality 3-, 4-, 6-, and 12-lead ECG printouts
- *Durability.* Known for its legendary durability and dependability, Burdick is the preferred name in digital ECGs, for practices and clinics
- *Primary or acute care use.* The interpretation package provides a choice of brief or full-format statements (including reason statements)

Burdick 8500
**(907-2319)** .....ea

**Cardiac Science™ CareCenter MD™**

PC-based wireless diagnostic workstation

+ Wireless data acquisition for ECG and cardiac stress testing
+ One-button user navigation – simple user interface for all modalities
+ Advanced networking and connectivity – in your office, across the country, to your EMR
+ Shared database provides fast access to all patient files

Contact your Henry Schein consultant today.

CARDIAC science

Cardiac Science, the Shielded Heart logo, and CareCenterMD are trademarks of Cardiac Science Corporation.
Copyright © 2010 Cardiac Science Corporation. All Rights Reserved. MKT-04145-01rA


CARDIAC science

**Burdick® Vision™ 5L Holter Recorder by Cardiac Science™**

High-Quality ECG Digital Recording

- Visual signed verification
- Real-time ECG display eliminates test jacks, repeat tests
- Easy-to-use five-button keypad
- Pacemaker detection to Vision or Vision Premier software analysis systems

#92514-01, Digital Holter Recorder Kit
**(606-3318)** .....ea

CARDIAC science

**CardioSens™ Resting Tab Electrodes by Cardiac Science™**

- Premium tin construction provides excellent signal quality
- Latex-free
- A favorite among clinicians

CardioSens™ Ultra II Premium
Offers aggressive adhesion, fast signal stabilization, and high conductivity.
**(120-1455)**.....100/box

CardioSens™ K
Offers a hypoallergenic, karaya-gum-based adhesive for sensitive skin.
**(120-2188)**.....100/box

CardioSens™ Advantage
Features a unique, highly conductive narrow adhesive.
**(120-2289)**.....100/box



CARDIAC science

**Blue Max™ Electrodes by Cardiac Science™**

For Monitoring and Resting ECGs

- Highly conductive wet gel for clean tracings
- Minimal baseline wandering
- Unique offset snap connection reduces motion artifact during stress testing
- Specially formulated adhesive stays in place

#097001, Vinyl, Offset Snap, 40 mm
**(120-4000)**.....25/bag

#097014, Foam, 30 mm
**(120-9305)**.....10/pkg

#097002, Foam, Offset Snap, 50 mm
**(130-9743)** .....25/bag

#015-0630-00, SUPAtab, Wet Gel
**(362-3376)** .....100/bag

CARDIAC science

**Heartline® Electrodes by Cardiac Science™**

- Provide high-quality data for virtually any cardiac application
- Ideal for both long-term monitoring and short-term diagnostic procedures

#007781, Oblong, DuraFoam, Wet Gel, 37 mm x 53 mm
**(120-2998)** .....30/pouch

#007778, Oblong, Comfort Tape, Wet Gel, 37 mm x 53 mm
**(120-2333)** .....30/pouch

#007784, SensaCloth, Pediatric, Solid Gel, 30 mm
**(120-8783)** .....30/pouch

CARDIAC science

**Assurance 50® "Fade-Resistant" Papers**

Single Channel, Red Grid

Unique line of thermal recording media. Look and feel is similar to standard thermal charts, but difference is in acid-free base paper and patented chemical thermal coatings. Combination of these 2 elements works to deliver 50 years of ECG image life without worry or fading. Thermal chart contaminants such as UV light, PVC, alcohol, adhesive tape, and electrode creams are no longer of concern. No special care or handling is required. Guarantee clear, indelible original records, year after year.

#716-0233-00, 45 mm x 150' Roll
For Burdick EK-10, Elite, Elite II, and Medic 5
**(120-3261)** .....ea

#716-0234-00
For E3501, E600 8, Eclipse LE LEi, LE II, and LEi II
**(120-1579)**.....200 sheets/pkg

#716-0239-00
For Burdick Eclipse 850 and 850i
**(120-0410)**.....300 sheets/pad

#716-0237-00
For Atria, Burdick Eclipse Plus, and Quest
**(891-2720)** .....200 sheets/pad

#716-0235-00
For Burdick Eclipse 8 and 800
**(120-1651)**.....300 sheets/pkg

HENRY SCHEIN®
**ULTRASOUND GELS**
Blue
Multipurpose, hypoallergenic, medium-viscosity ultrasound gel that is bacteriostatic for patient satisfaction. Excellent conductive agent with superior lubricating and clinical features for the most common professional diagnostic and imaging procedures. Simple operation and disposal. Long shelf life.

8.5-fl-oz Bottle
**(900-4094)**.....ea

5-liter Bottle
**(900-4095)**.....ea

---

HENRY SCHEIN®
**BLACK AND WHITE THERMAL VIDEO PRINTER PAPER**
Ultrasound Film Media

110mm x 20m Roll HD (High Density)
**(112-5630)**.....5/box

110mm x 20m Roll HG (High Gloss)
**(112-5631)**.....5/box

110mm x 20m Roll STD (Standard)
**(112-5632)**.....5/box

KONICA MINOLTA

The All-in-One Digital Radiography Solution

**Konica Minolta puts all the pieces together**

- Patient Registration
- Image Review
- Long Term Archive
- Web Based Collaboration
- Cloud Based Backup and Disaster Recovery
- Anti Virus Protection
- Information Portal

ImagePilot Sigma with informity

# Henry Schein brings the ACUSON Family of Siemens products to your clinical practice

**ACUSON X300™ ultrasound system, premium edition (PE)**
Take full advantage of the broad range of capabilities this product offers, including Abdominal, Cardiac, Stress Echo, Vascular, OB/GYN, Urology, and Superficial/Small Parts imaging.
- The all-around performer, designed to address the diverse needs of any practice
- Ergonomic features facilitate ease of use in small spaces
- Highly configurable reporting package created specifically for the office environment

**ACUSON X150™ ultrasound system**
Ideal for general scanning including Abdominal, OB/GYN, Urology, and Superficial/Small Parts imaging. A scalable product designed to grow with your practice.
- Add powerful, advanced features at any time, as your clinical needs evolve
- Ultra-compact with an intuitive, easy to learn interface
- Highly configurable reporting package created specifically for the office environment



**ACUSON Cypress™ cardiovascular system PLUS**
A comprehensive cardiac and vascular ultrasound system in a small, hand-carried package ideal for the office environment.
- Supports adult and pediatric echocardiography, Stress Echo, and Peripheral and Abdominal Vascular imaging
- Easily carried from room to room or office to office
- Network connectivity with CypressViewer™ ultrasound software provides a cost-effective solution for offline review on a PC

SIEMENS



# Discover Why More Than 50% Of Your Patients Would Benefit From In-office DXA Scanning!

**Improved Patient Care.**
**Increased Revenue Opportunities.**

Enhance your Primary Care Physician practice with the Discovery™ bone densitometry system from Hologic. DXA scanning is a vital link for many patients as determining the status of an individual's bone mineral density (BMD) can be a critical factor for proper diagnosis and treatment.

**Patients at Risk in Your Practice:**

- All postmenopausal women.
- Patient taking prescribed drugs that induce bone loss (proton pump inhibitors, serotonin reuptake inhibitors, steroids, and tamoxifen).
- Women aged 65 and over.
- Men past the age of 70 or men under 70 whom are at risk of osteoporosis.

In-office bone densitometry can be a dynamic solution to lagging financials. It could afford you the possibility of an exceptional return on investment (ROI) and provide an opportunity for you to grow your practice through stabilized reimbursement to achieve long-term success.*

Hologic's Discovery systems can evaluate your patients for osteoporosis, obesity, and cardiovascular risk.

HOLOGIC®
The Women's Health Company

**Learn how bone densitometry can impact your practice today by calling your Henry Schein representative.**

HENRY SCHEIN®

*New from*

HENRY SCHEIN® MEDICAL

## SCANORA® 3D

***The in-office Cone Beam CT system for ENT physicians and surgeons.***

Short scan times from 10 to 26 seconds and effective exposure times from 2.25 to 6 seconds have the benefits of saving patient dose. Together with the integrated motorized seat and the rigid patient support, they increase the patient comfort and the diagnostic performance of the **SCANORA® 3D** system.

*System highlights*

- Stable seated patient
- Fully motorized chair
- 90 kV, 4–12.5 mA, pulsed X-ray generation
- Scan time 10 to 26 seconds
- Reconstruction time shorter than 1 minute
- Isotropic voxel size ranging from 0.133 to 0.35 mm
- 12″ HD ClearTouch Panel
- Compatible with leading navigation systems
- DICOM/PACS compatibility
- Small footprint (2.24 $m^2$)

**Contact your Henry Schein Representative**

Simple.
Connectivity solutions that work.

Improve workflow efficiency and reduce transcription errors with automated capture of blood pressure, temperature, pulse rate, $SpO_2$ and weight.

**IQvitals®**
- Intuitive touch screen user interface
- Seamless connectivity with EHR/EMR or IQmanager™
- Lightweight and portable
- Long battery life
- $SpO_2$ and digital scale options

For more information, call 1-866-850-5741 or visit **midmark.com/DiagnosticsQ4.**

Midmark Corporation Versailles, OH USA

MIDMARK

Bovie AARON MEDICAL

**Aaron 940™**

Designed and engineered to be the most reliable and durable desiccator available today, the unit's life is prolonged by incorporating the latest in chip technology and reducing the number of internal parts, thereby generating less internal heat. Postprocedure and long-term cleanup are simplified by its nonabsorbing, nonstaining, high-impact plastic case. It continuously monitors every aspect of the unit's output. At the sign of any problem, the machine instantly disables the output and displays the appropriate error code on the display. The Bovie® 3-Button Handpiece is better designed inside and out. The basic function of a 3-button handpiece is to allow the user to control power up/down and to activate the high-frequency desiccator. The Aaron 940™ has a technology advantage right in the handpiece: a superbly engineered collet that's even gold-plated for superior conductivity. The collet is attached to the circuit board and the entire handpiece is encapsulated and formed in a high-tech polymer that combines comfort with a sure grip. The buttons on the handpiece have been designed for superior tactile feel and comfort.

- Dimensions: 15.9 cm (6.3") H x 22.2 cm (9") W x 11.4 cm (4.5") D
- Weight: ≤1.4 kg (≤3 lb)
- Output Power: To 40 watts (0–10 watts in 1/10th watt increments on both mono and bipolar)
- Output Frequency: 550 kHz
- Line Frequency: 50–60 Hz
- Warranty: 2 years

**(357-0000)**.....ea

Bovie AARON MEDICAL

**AARON 950™ High-Frequency Electrosurgical Generator**

First high-frequency desiccator with Cut. It features Cut, Blend, Coagulation (60 W each), Fulguration/Desiccation (35 W), and Bipolar (30 W) modes with 6 presets for the veterinarian's favorite settings. Easy-touch color-coded membrane pads, on front panels, allow for quick selection of each setting. Power output may be increased or decreased via the 3-button handpiece or the rotary power-control dial. For maximum flexibility, a complete line of disposable and reusable electrodes (blade, ball, needle, and loop) and bipolar forceps are available.

#A950
**(261-8478)**.....ea

Bovie AARON MEDICAL

**Aaron 1250™**

Electrosurgical Generator

Multipurpose machine for use in the modern physician's office and surgicenter. It features both monopolar and bipolar functions to satisfy all surgical demands with safety, flexibility, reliability, and convenience. Also features Cut, Blend, Coagulation, Fulguration, and Bipolar modes. Incorporates automatic safety features such as self-test circuits, audible tones, discreet outputs, isolated circuitry, and Bovie NEM™ (neutral electrode monitoring) and has 120 W of cutting power and 90 W of blended cutting. It has 2 levels of Coagulation: Pinpoint (maximum power: 80 W) and Fulguration (maximum power: 40 W), plus Bipolar (maximum power: 30 W).

- 120 W of cutting power and 90 W of blended cutting
- Two levels of Coagulation: Pinpoint at 60 W and Fulguration at 40 W
- 30 W of Bipolar
- Rotary power control dials for ease of use
- BovieNEM™ pad sensing technology
- Digital error detection
- Accepts standard 3-pin connector pencils

**(413-1384)**.....ea

Bovie AARON MEDICAL

**Disposable Electrodes**

All use the standard 3⁄32 (2.3mm) stainless steel shaft. All molded electrodes feature safety grip insulators that combine patient and user safety with easy insertion into and removal from the surgical pencil. Packaged individually.

#A804, Sharp Dermal Tip, Non-sterile
For use with 800, 900, and 950 models.
**(241-6402)**.....100/box

#7-101-12, Blunt Tip, Non-sterile
**(271-2856)**.....100/box

Sterile Dermal Tips
For use with #800, #900, and #950 models.....50/box

Specify:
#7-101-8, Blunt .....**(590-1158)**
#7-100-8, Sharp .....**(891-3055)**

#ES01, Standard Blade, Sterile
**(682-1876)**.....50/box

#ES04, Extended Blade, Sterile
**(673-2611)**.....25/box

#ES18, Angled Blade, Sterile
**(650-9472)**.....5/box

#A806, Blunt Dermal Tip, Non-sterile
For use with 800, 900, and 950 models.
**(590-9426)**.....100/box

Bovie AARON MEDICAL

**Smoke Shark™**

Smoke and Particle Remover

Designed to be easy to use and extremely effective at smoke and particle removal at the operative site. Although it is designed for use with all electrosurgical generators, it is also excellent for use in controlling laser smoke.
**(869-0060)**.....ea

Bovie AARON MEDICAL

**Smoke Shark™ Accessories**

#S18, Filter, 18 Hours, Long Life
**(102-5207)**.....ea

#786T, Tube, Non-sterile, 7⁄8" x 6'
**(611-4235)**.....24/pkg

FSSE Foot Switch
**(493-1543)**.....ea

Bovie AARON MEDICAL

**Electrode Balls**

#ES07, Extended, 5mm
**(984-5459)**.....5/box

#ES20, 3⁄16"
**(682-5062)**.....25/box

Bovie AARON MEDICAL

**Electrode Needles**

#ES02, Standard
**(650-3112)**.....25/box

#ES38, Modified
**(896-7227)**.....25/box

# ComeTogether.

Bring everything you need together at the point of care with a 625 Barrier-Free® exam table with IQscale™. Connect to IQvitals® to place all vitals data directly into your EMR for the most efficient workflow.

## For a deal and savings like you've never seen before...

**September 1st – December 21st, 2012**

What's in it for you?*

Buy a Barrier-Free® Exam Table. Get up to an $800 trade-in rebate.

Buy IQvitals® and get up to a $400 rebate.

Buy BOTH and get an ADDITIONAL rebate of up to $200.

For more information call 866-849-3349 or visit midmark.com/ScheinQ4.

*Incentive amounts are dependent upon model purchased. Terms and conditions apply.
Contact your Midmark representative or visit midmark.com/cometogether for complete promotion details.

Midmark Corporation Versailles, Ohio USA

MIDMARK®
Because we care.

seca

**#210 Mobile Measuring Mat**

A lightweight, space-saving solution for easy, precise measurement of the length of babies and toddlers while lying down. The fixed headpiece and the sliding foot positioner make it simple to use.

- Measuring range: 4"–39" (10 cm–99 cm)
- Graduation: ¼" (5 mm)
- Dimensions : 49⅛"W x 5½"H x 11⅘"D (1,250 mm x 140 mm x 300 mm)
- Dimensions convoluted: 4.7"W x 5½"H x 11⅘"D (120 mm x 140 mm x 300 mm)
- Weight: 1.3 lbs (575 g)

**(928-2813)** .....ea



seca

**#700 Balance Beam Scales**

Mechanical column scales, with their eye-level balance beams, set new standards worldwide for capacity, graduation, and quality. Each scale has a cast iron base, iron column, and easy-to-use interface. The compact packaging helps keep freight costs to a minimum. The included seca 220 measuring rod converts the scale into a complete space-saving measuring and weighing device. Available in lb, kg, or lb/kg versions.

Imperial (Nonmetric), 500-lb Capacity
**(900-8642)** .....ea

Metric, 220-kg Capacity
**(276-2031)** .....ea

Imperial (Nonmetric) and Metric, 400-lb (160-kg) Capacity, with Wheels
**(111-9119)** .....ea

seca

**#222 Mechanical Telescopic Stadiometer**

This full-length model is wall mounted, extends to the floor, and comes with a foot plate for increased stability. Additionally, this stadiometer—made from sturdy anodized aluminum—has an additional 4" head plate to ensure further accuracy. Because it telescopes up to eye level, readings will become easier.

- Measuring range: 2½" – 90½"/6 cm – 230 cm Graduations: ⅛" x 1 mm

**(266-8199)** .....ea

seca

**#769 Electronic Column Scale with BMI Function and Height Rod**



Versatile, low-maintenance, battery-operated scale is perfect for your patients. Moves easily on transport casters. Nonslip platform surface guarantees a safe foothold.

- Capacity: 450 lb
- Graduation: 0.2 lb
- Functions: automatic switch off, tare, hold, BMI, and lb/kg switch over
- Transport casters
- Base dimensions 3"H x 11½"W x 11¾"D
- Runs on 4 AA batteries

**(108-3824)** .....ea

seca

**#491 BMI Calculator**

In diagnostics, body mass index (BMI) is an essential value for determining a person's state of nutrition.It puts height in relation to weight, and, thus, provides information about whether that person is overweight, of normal weight, or underweight. Against a background of a steadily increasing number of overweight people, international experts are of the opinion that this value will become more and more important in the future.

**(276-1961)** .....ea


360°

**seca provides a new level of support**
through Allscripts EMR connectivity.

seca 374
Henry Schein
#824-3615

seca 284
Henry Schein
#276-0007

seca 703
Henry Schein
#600-5578

seca 676
Henry Schein
#108-4731

With the recent completion and certification with Allscripts, seca extends its premium EMR connectivity solutions for its line of seca 360° wireless measuring and weighing devices to support Allscripts Professional and Enterprise applications. The wireless connectivity between seca's devices and Allscripts, will assist physicians in streamlining their diagnostic workflow, eliminate a source of data transcription errors, and significantly improve patient safety and nursing efficiency. Learn more about Allscripts EMR connectivity at www.seca.com/EMR

HENRY SCHEIN®
seca | partner

seca®
Precision for health

# Single Breath DLCO PFT System available through Henry Schein

ndd

## EasyOne Pro®

**Convenient**
- Perform PFT in under 30 minutes
- Calibration free, Maintenance free
- Accommodates changing healthcare landscape

**Cost Effective**
- ROI in less than 200 patients

**Reliable**
- Meets ATS/ERS standards
- Proven ultrasound technology

**Easy on-PC**
- Occupational health
- Primary care
- Pediatrics

HENRY SCHEIN®

TrueFlow makes the difference

**EasyOne® Plus**
- ROI in less than 50 patients
- No calibration, simple 3L cal-check
- Not influenced by temperature, humidity, or barometric pressure
- No moving parts
- Single patient use spirette
- Easy to operate menu

**The ndd Medical Technologies Advantage**

*Setting New Standards in Pulmonary Function Testing with Innovative Products*

NOW COMPATIBLE WITH ALLSCRIPTS

©2012 ndd Medical Technologies Inc, subject to changes without prior notice.


CLINTON INDUSTRIES INC.

**Premium Square Step-On Waste Receptacles**
12"W x 13¼"D
Available in a variety of sizes that will suit any environment. Each features a full-width lid hinge, a self-closing lid with bumper strips, an interior bag holder, 2 hazardous waste labels, and heavy-gauge steel construction with a powder-coated finish.

White Enamel Finish, 32 qt, 21½"H
**(122-0095)**.....ea

White Enamel Finish, 24 qt, 16½"H
**(122-0093)**.....ea

Red Enamel Finish, 32 qt, 21½"H
**(122-0094)**.....ea

Red Enamel Finish, 24 qt, 16½"H
**(122-0092)**.....ea

CLINTON INDUSTRIES INC.

**Treatment Tables with Adjustable Backrest**
31"H x 72"L
- Straight line table
- Solid wood legs with H-brace

#1010-24, 24"W
**(173-7409)**.....ea

#1010-27, 27"W
**(122-3886)**.....ea

#1010-30, 30"W
**(701-3142)**.....ea

CLINTON INDUSTRIES INC.

**Blood Drawing Chair**
- One-piece, easy-to-clean, plastic chair
- Welded, tubular steel frame
- Adjustable-height arms, 27"–33"
- Laminate pivot armrest
- Black

**(122-4867)**.....ea

Item shipped directly from manufacturer. Some assembly is required.

CLINTON INDUSTRIES INC.

**Footstool with Hand Rail**
Chrome-plated steel footstool with 4 nonskid rubber feet.
9"H x 11¼"W x 14¼"L
**(766-0390)**.....ea

CLINTON INDUSTRIES INC.

**#8921 Double-Door Cabinetwith Drawer and Casters**
- All-laminate fronts
- Square-edge top with backsplash
- Self-closing, 3-way adjustable Euro-style hinges
- Laminated drawers on nylon rollers
- Slate-gray front kick plates

34"H x 24"W x 18"D
**(122-0644)**.....ea
Please specify when ordering: Gray, Natural, Wild Rose, Aztec Blue, Dark Cherry, or Imperial Green.


## Clinton Power Tables

Designed and engineered to make it easy on both attendant and patient, Clinton products offer power and durability. **And Clinton's low height design may help qualify for the Federal ADA tax credit*.** Visit Clinton's web site at **www.clinton-ind.com** for our full line of power tables and medical equipment plus complete specifications.

*Clinton Power tables feature:*
- Pneumatic backrest, adjustable from either side/raises to 80° from flat position
- All welded steel base and top frame
- Hands-free foot control
- Shrouded models feature textured ABS plastic that encloses lift mechanism
- Optional locking casters available
- 450 lbs. load capacity under normal use

**81200**
**Shrouded Power Table with Adjustable Backrest**

**85300**
**Power Imaging Table with 3 Section Top and 10" x 10" Window Section**

**81330**
**Shrouded Power Table with Adjustable Backrest & Drop Section**

CLINTON INDUSTRIES INC.
*Examine Real Quality™*

www.clinton-ind.com

**Check specific ADA requirements and consult your tax advisor to make sure you qualify.*

# EQUIPMENT

Health o meter Professional

**600KL, Heavy-Duty Eye-Level Digital Scale**

Fast and easy-to-use digital height rod provides option to capture height measurement electronically and accurately. Operating functions (BMI, LB/KG Lockout, Hold/Release, Auto Zero, Tare, Zero Out, Auto Off) included. Eye-level rotating display can be read from almost any angle and allows for patient privacy and ease of use. Capacity: 600 lb/272 kg. Weight: 38 lb

**(118-3183)**.....ea

Health o meter Professional

**Elevate EMRscale**

The Elevate meets government healthcare regulations regarding BMI and EMR/EHR compliance. Eye-level rotating display can be read from almost any angle and allows for patient privacy and ease of use. Fast and easy-to-use digital height rod provides option to capture height measurement electronically and accurately. Automatically calculates the patient's body mass index (BMI). Capacity: 600 lb/272 kg
Weight: 38 lb

**(120-5003)**.....ea

Health o meter Professional

**Mechanical Beam Scale**

Maximum-strength, steel base-and-lever system. Features rotating, easy-to-read poise bars with engraved, long-lasting readings in lb/kg increments. Includes 2 counterweights to increase capacity to 500 lb (200 kg).

- Capacity: 500 lb (200 kg)
- Rotating dual-read display
- Optional wheels for easy mobility
- Engraved numerals
- Powder-coated, nonrusting scale
- 10-year warranty

#402KL
**(120-1678)**.....ea

Health o meter Professional

**Digital Wall-Mounted Floor Scale**

#349KLX, 2-Piece LCD, 400 lb
**(322-9265)**.....ea

Health o meter Professional

**Eye-Level Digital Scale with Height Rod**

High weighing capacity, low profile, large base, and user-friendly interface.

- Capacity: 500 lb x 0.2 lb (227 kg x 0.1 kg)
- 170° swivel display with 1 LCD
- BMI, RS232 port, wheels, handle, large 14¼" x 14¼" platform, and height rod
- 1-year limited warranty

**(975-4610)**.....ea

Health o meter Professional

**Economical Digital Physician Scale**

- Capacity 500 lb/220 kg
- 1" LCD readout
- Functions: BMI, EMR capable, Hold/Release button, Auto-Off, Auto-Zero, LB/KG conversion, and Zero-Out/Tare
- Height rod
- Optional adapter, connectivity through USB
- Eye level

#500KL
**(106-6626)**.....ea

MEDICAL ILLUMINATION INTERNATIONAL
WHERE ILLUMINATION IS DEFINED

**Centurion Dual Ceiling Surgery Light**

A revolutionary midrange surgery light that offers exceptional performance and features. Includes a highly efficient, single-reflector design, ensuring optimal shadow reduction, and the 21st Century Series exclusive Centra arm-delivery system.

- Prefocused spot at a distance of 36" (914 mm) from lamp head to provide homogeneous light with 4000 foot-candles (43,000 lux) and color temperature of approximately 4000°K
- Easily replaceable, low-cost, long-life, 12-V/90-W halogen bulb
- 15" (380-mm) diameter elliptical reflector
- IR-absorbing, color-correcting glass cylinder
- 28" (711 mm) articulating arm with integral compression spring
- 23" extension arm
- Arm rotates 40° up and down from horizontal plane
- Lamp head and arm both rotate 540°
- Removable, sterilizable handle
- Additional positioning handle mounted on perimeter

#021515
**(521-0966)**.....ea

#021512, Wall Model
**(494-7469)**.....ea

#021513, Portable Floor Model
**(521-3947)**.....ea

#021514, Single Ceiling Model
**(521-2902)**.....

WelchAllyn

**Green Series™ 300 General Exam Lights**

Utilizing a single white LED, the GS 300 provides a whiter, brighter light than halogen and consumes less energy. It's the perfect combination of intense light output and cool operation in a compact design. Features touchless on/off, multiple mounting options for floor space maximization, low cost of ownership due to elimination of bulb replacement and lower energy consumption, and 5-year limited warranty to include the LED light source and power supply.

With Mobile Stand
**(114-2692)**.....ea

With Table/Wall Mount
**(114-5632)**.....ea

WelchAllyn

**Green Series™ 600 Minor-Procedure Lights**

Featuring 3 LEDs and a wider head, the GS 600 is designed specifically for demanding viewing conditions. Whiter, brighter, and greener: 3 white LEDs offer greater intensity. Other features include touchless power controls and an adjustable light output. It also has a disposable sheath available to help reduce the risk of infection due to cross contamination. Rugged, ergonomic design allows for improved performance and long-lasting durability. Low cost of ownership due to elimination of bulb replacement and lower energy consumption. 5-year limited warranty to include the LED light source and power supply only.

With Mobile Stand
**(566-0088)**.....ea

With Table/Wall Mount
**(566-0089)**.....ea

Ritter by MIDMARK

**#355 Ritter Minor Surgery Lights**

The perfect balance between quality and affordability. Counterbalanced to provide precise positioning without drifting. Features a large pattern size with an even distribution of light throughout, unsurpassed shadow control, and superior foot-candle illumination.

- Includes quartz halogen bulb(s)
- UL listed and CSA certified
- Lightweight: 55 lb

#355-025, Single Ceiling Light, 8'
**(386-7013)**.....ea

#355-028, Single Ceiling Light, 9'
**(386-0236)**.....ea

Dual Ceiling Light.....ea

Specify:
#355-031, 8'.....**(386-4894)**
#355-034, 9'.....**(386-3405)**

#355-022, Mobile Caster Base
**(386-9373)**.....ea

Ritter by MIDMARK

**#354 Ritter Minor Surgery Lights**

Perfect balance between quality and affordability. Counterbalanced to provide precise positioning without drifting. An ideal task light for all medical environments where illumination is required for external examinations and procedures.

- Includes quartz halogen bulb(s)
- UL2601-1 and CAN/CSA C22.2 No. 601.1-M90
- Lightweight: 55 lb

Single Spotlight.....ea

Specify:
#354-025, 8'.....**(386-2145)**
#354-028, 9'.....**(386-3085)**

Dual Spotlight.....ea

Specify:
8', #354-031.....**(386-7833)**
#354-034, 9'.....**(386-4597)**

#354-022, Mobile Caster Base
**(107-4000)**.....ea

KORR™

**ReeVue Indirect Calorimeter**

The REEVUE measures the oxygen that the body consumes. Using this measurement it calculates number of calories that an individual burns at rest in a day*. This technique is called Indirect Calorimetry. This information assists in nutritional assessment and medical nutrition therapy.

- Simple to use and provides on-screen and printed results in just 10 minutes
- Lightweight and portable
- Does not require a computer or manual calibration
- Provides an accurate method for measuring $VO_2$ (oxygen consumption) and RMR* (resting metabolic rate)

#9FG0125
**(114-0163)**.....ea

#9FG0079, Filter
**(114-0171)**.....ea

#9FG0186, Metabreather
**(114-0168)**.....20/box

#9FG0187, Metabreather
**(114-0165)**.....100/box

#9FG0094, Printer Paper
**(114-0167)**.....ea

HENRY SCHEIN®

**PRO PLUS SERIES PROFESSIONAL STETHOSCOPE**

Combination adult-size chest piece is precisely machined to exacting tolerances from surgical stainless steel for outstanding performance and rugged durability. Available in 3 striking colors for departmental coding or personal identification.

Latex-Free.....ea

Contains:
Specify:
Black .....**(900-4815)**
Burgundy.....**(900-4816)**
Navy .....**(900-4817)**

- Extra-large bell (1⅜" diameter) for unsurpassed low-frequency response
- Ultrasensitive diaphragm (1⅞" diameter) for greater amplification and crisper high-frequency response
- Color-coordinated nonchill bell and diaphragm retaining rim for patient comfort
- Stainless steel binaurals with double-leaf internal spring fixed at 15° angle for greater comfort
- Reinforcing yoke molded into flexible 22" PVC "Y" tubing
- Deluxe PVC ear tips (in small and large) for the ultimate in wearing comfort and acoustic seal
- Spare diaphragm included
- Available in 3 striking colors for departmental coding or personal identification
- Scope ID tag included
- Lifetime warranty
- Weighs 6.5 oz
- Overall length 31"

HENRY SCHEIN®

**FINGERTIP PULSE OXIMETER**

- Adult and pediatric use: ideal for all specialties
- Range for $SpO_2$: 70%–100%
- Range for pulse: 30-235 bpm
- Dual-color LED with display modes and brightness control
- Includes pulse bar and plethysmogram
- Visual and audible low-battery alarm
- 2 AAA alkaline batteries with 30 hours of continuous use
- Electromagnetic compatibility

**(900-6368)**.....ea

HENRY SCHEIN®

**PRO PLUS SERIES CLOCKFACE ANEROID**

**Each aneroid features:**

- Large, easy-to-read 6" luminescent dial for high visibility in virtually any light condition
- 300mm-Hg, CE marked, no-pin stop movement withstands the heaviest use
- Inflation system includes black nylon cuff, latex inflation bladder, bulb and valve, and 8' length (when extended) of coiled latex tubing
- Contemporary Euro-style ivory casing complements any decor
- Complete with all necessary hardware and assembly instructions
- Available in wall or mobile configurations
- Assembled, inspected, and packaged in the USA from foreign components

**Wall Aneroid also includes:**

- Wall bracket that swivels through 110° rotation for easy viewing with integral cuff storage

**Mobile Aneroid also features:**

- Height-adjustable Spider-Leg™ caster stand with range of 34" to 48" (from bottom of base to top of unit)
- Integral ABS cuff-storage compartment
- Manometer is angled back 15° for easy viewing
- 18" base diameter

Wall Aneroid .....ea
Latex-Free ..... **(112-6069)**

Mobile Aneroid .....ea
Latex-Free ..... **(112-6070)**

*For accurate assessment of H. pylori infection*

# Advance from **Blood to Breath**

## Get H. pylori test results in around 10 minutes

*"A positive [blood] test is no better than a coin toss in predicting … active infection. UBTs [Urea Breath Tests] … provide reliable means of identifying active H. pylori infection".* [1]

**Real-time Breath Testing from Exalenz Bioscience Offers**

- **Superior accuracy** – *100% Sensitivity, 99.2% Specificity* [2]
- **Rapid testing** – *~10 minutes from start to results*
- **Ease of use** – *1 button operation*
- **Enhanced revenue potential** – *National median Medicare rates for CPT Codes 83013 & 83014 is $102.93* [3]

**Advance to Breath Testing Today**

Email **contact@exalenz.com**, call **888-EXALENZ** or visit **helicobacterpyloritest.com** today.

Exalenz Breathtaking Solutions

1. American College of Gastroenterology (ACG), Guideline on the Management of Helicobacter pylori Infection, 2007.
2. Data on file. Refer to helicobacterpyloritest.com for more information.
3. National average Medicare rates as published in the 2010 Clinical Lab Fee Schedule. The rates of 3rd party payers, including commercial insurers, may vary. As with any procedure, it is the provider's responsibility to determine the reimbursement specifics that pertain to their patients and practice. Please refer to the BreathID® Billing Guide for more information.

© 2010 Exalenz Bioscience, Inc. The BreathID® System is a registered trademark of Exalenz Bioscience, Ltd.

MTD 00028 Rev. 01


HORIBA Medical
(949) 453-0500 • (888) 903-5001
www.horiba.com/medical
HORIBA
Medical
ABX Micros 60
ABX Micros CRP200
ABX Micros im2
ABX Pentra XL80
ABX Pentra 60
ABX Pentra DX120
ABX Pentra 400
HORIBA Medical equips more than 27,000 Physician Office Laboratories and Medical Centers around the world.
Providing Hematology and Chemistry systems with reagents, training and customer support all tailored to the testing needs of your medical laboratory.
Hematology & Clinical Chemistry
Instruments, Reagents and Service
Introducing
Micros Lite
Introducing
Pentra C200
For all your diagnostic solution needs, contact your Henry Schein Representative today!
AD-013012-1 Rev A

BIOSITE
NEW DIMENSIONS IN DIAGNOSIS®

**Triage® BNP Test**

Rapid, objective point-of-care immunoassay is used:

- As an aid in the diagnosis and severity of CHF
- For the risk stratification of patients with ACS and HF

#98000XR, BNP Test
**(131-7507)**.....25/box

#98013XR, BNP Control Set, Level 1 (5 Level 1)
**(219-6429)**.....ea

#98014XR, BNP Control Set, Level 2 (5 Level 2)
**(219-6475)**.....ea

#98015XR, BNP Calibration Verification Control Kit (1 per Level, 5 Levels)
**(131-9669)**.....ea

#98200, BNP Reagent for Beckman Coulter Immunoanalyzers
**(104-4059)**.....100/box

#98201, BNP QC Controls for Beckman Coulter Immunoanalyzers
**(478-8086)**.....ea

#98202, BNP Calibrator for Beckman Coulter Immunoanalyzers
**(640-1104)**.....ea

BIOSITE
NEW DIMENSIONS IN DIAGNOSIS®

**Triage® Cardiac Panel**

Measures 3 key cardiac markers: myoglobin, CK-MB, and troponin I.

- Easy to use, with results in approximately 15 minutes
- Results read by Triage® MeterPro™ meter
- Whole blood or plasma

#97000HS
**(131-1964)**.....25/box

HemoSense

**INRatio2® Monitor**

Allows you to obtain a prothrombin time (PT) and international normalized ratio (INR) result using 1 drop of blood from a fingerstick.

- CLIA waived
- Easy to use
- Single-button operation
- 1-step auto turn-on with strip insertion
- Larger LCD screen and easy-to-read digits
- Small, 1-drop (15 µL), sample size
- Wider test-strip area for easier sample application
- Test results in under 1 minute
- Test strips do not require refrigeration
- 2-channel, on-board quality control runs on every test
- No need for external liquid quality control or extra strips
- Test strips are individually wrapped and stored at room temperature

#INR2QS1 Quick Start #1
**(111-3840)**.....ea
Contains: analyzer, 1 box of 48 INRatio test strips, 50 Unistik® single-use lancets, 100 alcohol pads & 250 gauze brick pads.

#INR2QS3 Quick Start #3
**(111-3844)**.....ea
Contains: analyzer, 3 boxes of 48 INRatio test strips (144 total, 150 Unistik® single-use lancets, 200 alcohol pads & 250 gauze brick pads.

#INR2QS5 QuickStart #5
**(111-6578)**.....ea
Contains: analyzer, 5 boxes of 48 INRatio test strips (240 total), 250 Unistik® single-use lancets, 300 alcohol pads, 5 boxes of capillary tubes & 500 gauze brick pads.

#INR2-6PK 6-Box Promo
**(112-3230)**.....ea
Contains: analyzer, 6 boxes of 48 INRatio test strips (288 total), 10 single-use lancets & 10 capillary tubes.
CPT® Code: #85610QW†

CHOLESTECH

**Cholestech LDX® System**

Complete Lipid Profile, Glucose

- CLIA waived**
- Procedure saves time and enhances productivity
- Small, tough, and portable
- Eliminates anxiety of venipuncture; requires only a fingerstick
- On-the-spot adjustment of therapy and improved patient compliance
- Accuracy comparable to laboratory tests
- Saves time: fewer follow-up visits required
- Enhances compliance through teachable moments between healthcare providers and patients

#10-959, Analyzer
**(738-2917)**.....ea
Contains: 1 of ea: analyzer, printer, power supply, starter pack, optics check cassette, printer cable, user's manual, procedure manual & training video. Starter pack contains 200 lancets, 200 capillary tubes, 200 capillary plungers, 1 Minipette pipette, 50 pipette tips, 1 accessory tray & 1 fingerstick tip pad.

#11-785, Cholestech Thermal Printer Labels
White labels for use with Cholestech Thermal Label Printer.
**(803-6378)**.....400/roll

#10-989 Test for Lipid Profile
**(116-9995)**.....10/box

#10-986, Test for TC
**(420-7892)**.....10/box

#10-988, Test for TC and Glucose
**(956-0149)**.....10/box

#10-987, Test for TC and HDL Panel
**(600-5779)**.....10/box

#10-990, Test for TC, HDL, and Glucose Panel
**(600-5781)**.....10/box

#10-991, Test for Lipid Profile and Glucose
**(694-9360)**.....10/box

#12-788, Test for ALT/AST Alanine Aminotransferace
**(608-8836)**.....10/box

#12-712, Multi-Analyte Controls, 2 mL
**(116-4232)**.....ea
Contains: 1 vial of each level (1–2).

#12-807, High-Sensitivity C-Reactive Protein (hs-CRP)
**(392-1076)**.....10/box
Contains: 1–2-mL vial of ea level (1–4).

#11-255, Calibration Verification Material (Lipids/Glucose), 2 mL
**(116-7301)**.....ea
Contains: 1 vial of each level (1–4).

#11-010, Disposable Pipette Tips
For use with 35µL, 40µL, and 50µL MiniPet Pipettes.
**(267-4596)**.....50/box

#10-311, Capillary Plungers
For use with all types of Cholestech capillary tubes.
**(960-1587)**.....50/box

CPT® Codes for lipid profile: #80061QW†; for lipid profile/glucose: 80061QW†/839471QW†; for ALT/AST: 84460QW†

*6-minute results for hs-CRP.
**Except hs-CRP.

ABAXIS

**Piccolo® Point-of-Care Chemistry Analyzer Accessories**

The first broad-menu clinical chemistry analyzer designed for near-patient testing. *Basic Panel* contains BUN, Ca, Cl-, CRE, GLU, K+, Na+, and $tCO_2$. *Comprehensive Panel* contains ALB, ALP, ALT, AST, BUN, Ca, Cl-, CRE, GLU, K+, Na+, TBIL, $tCO_2$, and TP. *Lipid Panel* contains CHOL, CHOL/HDL (calculated), HDL, LDL (calculated), TRIG, and VLDL (calculated).

- General chemistry, liver, electrolyte, BMP, CMP, lipid, renal, and hepatic panels available
- No daily controls, calibrators, or maintenance
- Intelligent Quality Control (iQCT) verifies correct performance
- No special training required
- 0.1cc whole blood, serum, or plasma
- Single-use reagent discs
- Compact and portable
- Built-in QC and calibration
- Lipid panel is CLIA waived
- Whole blood, serum, or plasma
- Less than 2 minutes hands-on
- Results in under 13 minutes

#1100-0000, Accessory Kit
**(106-6368)**.....ea
Contains: 1–0.1cc Minipette, 1–96-pack of disposable Minipette tips, 1 operator's manual, training CD, 1 power cord, 1 power supply, 10 lithium-heparin tubes, 1 screwdriver & 2–12-packs of results cards.

#400-0024, Basic Metabolic Panel
**(137-3987)**.....10/box

#400-0028, Comprehensive Metabolic Panel
**(174-6978)**.....10/box

#400-0025, Lipid Panel
**(146-0189)**.....10/box

Abbott Diabetes Care

**i-STAT® 1 Handheld System**

Includes these important features:

- Easy to use: Cartridges are self-contained and the system is simple to learn and operate
- Lab-accurate results: Advanced biosensor technology and real-time quality assurance provide extremely accurate testing
- Small sample size: Just a few drops of blood per cartridge
- Ready when you need it: Test results in as little as 2 minutes

i-STAT Analyzer
**(111-3324)**.....ea

Cartridges
Chem8+ (waived)
**(111-3408)**.....25/box

Creatine (waived)
**(111-3394)**.....25/box

CG8+ (waived)
**(115-6662)**.....25/box

PT
**(111-3385)**.....24/box

BNP
**(111-3158)**.....25/box

Accessories
i-STAT Serial Recharger
**(111-3403)**.....ea

i-STAT Serial Downloader
**(111-3401)**.....ea

i-STAT Printer Paper
**(111-3398)**.....6/box

QBC® Diagnostics
Innovative Solutions for a Healthier World

**QBC STAR Dry Hematology Analyzer**

The QBC STAR dry hematology analyzer can deliver a 9-part CBC with the touch of a single button. The STAR's unique microprocessor performs self-calibration, ensuring the accuracy of results.

STAR Analyzer
**(108-4403)**.....ea
Contains: the QBC STAR instrument, 2 replacement 3.15A fuses, 2 rolls of thermal printer paper, screwdriver, forceps & power cord for 120V & 60Hz operation.

STAR Tubes
**(999-8311)**.....100/box

Hematology Controls
**(116-1236)**.....6/pkg
Contains: 6 vials ea. of 2 different blood samples

Internal Printer Paper
**(932-7453)**.....3/pkg

Fuses, 250V 3.15A, 5 x 20 mm
**(116-8093)**.....ea

THE DRUCKER CO.
*Providing Quality Centrifuges since 1932*

**Drucker Centrifuges**

Drucker high-performance horizontal centrifuges provide decreased processing and down time, increased process flexibility, smaller footprints, and superior sample integrity–all with the quality and dependability expected only from a Drucker centrifuge.

| Item Code | Description |
|---|---|
| 1026612 | Model 614B 6-Tube, Fixed Angle Rotor, Single Speed (3,150 RPM) |
| 1065205 | Model 642B 6-Tube, Horizontal Rotor (3,380 RPM) |
| 1123763 | Model 642E 6-Tube, Horizontal Rotor (3,380 RPM), Electronic Timer |
| 1172729 | Model 642VES 6-Tube, Horizontal Rotor (1,000 to 3,200 RPM), Digital Timer |
| 1067050 | Model 653V 12-Tube, Horizontal Rotor (500 to 3,200 RPM), Electronic Timer |
| 4778511 | Model 755V-12 12-Tube, Horizontal Rotor (500 to 3,200 RPM), Electronic Timer |
| 7838749 | Model 755V-24 24-Tube, Horizontal Rotor (500 to 3,200 RPM), Electronic Timer |
| 1175535 | Model 755VES 12 to 24-Tube, Horizontal Rotor (500 to 4,300 RPM), Digital Timer |
| 1179241 | Model 853VES PP 12-Tube, Horizontal Rotor (500 to 5,000 RPM), Digital Timer |

The **essential element** of a **successful laboratory...**

LabDAQ®
laboratory information system




CGM CompuGroup™ Medical

Better Processes.
Better Business.
Better Medicine.

- Maximize Laboratory Reimbursements
- Enhance Patient Safety
- Improve Facility Efficiencies
- Ensure Regulatory and HIPAA Compliance
- Achieve Total Connectivity Throughout Your Facility
- Meet Meaningful Use Criteria

**LABDAQ LIS... THE ESSENTIAL ELEMENT FOR YOUR LABORATORY.**

CompuGroup Medical • CGMUSA.Lab.Sales@cgm.com • 800.359.0911 ext. 3 • CGMus.com

© Copyright 2012 CompuGroup Medical, Inc. All rights reserved. LabDAQ is a registered trademark of CompuGroup Medical, Inc.

# EQUIPMENT

**ABACUS 5** is the latest and most sophisticated model of Diatron's range of hematology Analyzers. The system utilizes a Diatron patented long-life diode laser-based optical measurement technology that ensures optimal performance using a high-tech flow cuvette.

- Its patented laser-based optical measurement technology was developed by Diatron
- Offering accurate 5-part differential and 24 parameters
- Uses only 3 reagents, plus cleaner
- 60 samples/hour throughput
- Large, color touch-screen
- More than 100,000 records database capacity
- Windows™ based software and compatible printers are supported
- Autoloader can be added at any time, with integral bar code reader for rapid data processing, sample mixer, cap recognition mechanism to avoid sampling error
- Closed and open tube sampling
- 4 USB ports

**118-4757** Abacus 5 Non Autoloader
**118-4759** Abacus 5 Autoloader

NEW!

**PICTUS 400** Fast and Easy to operate fully automated random access bench top clinical chemistry analyzer. Ideally suited for the small/medium laboratories. With cooling and washing station, optional ISE and barcode reader.

**End Point and Kinetics**
- Stat, Random Access and Batch
- 280 Test/hour
- 48 Test on Board
- 80 position Reaction Tray
- Automatic Sample Dilution
- Mixer on Probe
- Reagent Blank
- Factor or Non-Linear Calibration Curves
- Barcode Samples and Reagents
- Immunoturbidimetry
- Coagulation
- Quality Control

**117-1313** Pictus 400 analyzer
**117-1314** Pictus 400 analyzer w/ISE

Diatron® GROUP

**SIEMENS**

Your Henry Schein Sales Consultant can provide your best Immunoassay solution from Siemens and your best finance options through Henry Schein Financial Services.

Contact your Henry Schein Sales Consultant for a customized solution for your practice.

## IMMULITE® 1000

The IMMULITE 1000 immunoassay system features an extensive menu, ease of use, reliability, robust hardware and excellent assay performance. The IMMULITE 1000 monitors onboard reagents and accommodates onboard dilutions, positive sample identification, and Remote Diagnostics.

Worldwide, IMMULITE 100 has been chosen for various types of immunoassay testing due to their flexible platforms, breadth of menu, ease of use, reliability, high-performance assays and fully integrated operation. Assays for cardiac biomarkers, thyroid function, reproductive endocrinology, infectious disease, TDM, serology, anemia, drugs of abuse, diabetes, tumor markers and esoterics are all easily run with true random access capability.

Turbo capabilities provide results in 15 minutes for critical STAT assays including the cardiac biomarkers Troponin I, CK-MB, and Myoglobin, as well as Intact PTH and hCG.

The IMMULITE 1000—designed to meet the immunoassay testing needs of the clinical laboratory today and tomorrow.

Need all the pieces without the puzzle?
Chemistry systems provide exceptional capacity for improved workflow and productivity.
Hematology analyzers offer performance, value and safety in an easy-to-use system.
Immunoassay systems deliver new levels of efficiency, standardization and cost effectiveness.
Hemoccult ICT
Hemoccult and other Rapid Test Kits enable non-invasive testing with high specificity and sensitivity.
Total lab solutions from a single, reliable source.
Providing different products from different vendors can be highly perplexing—and a poor fit for your customer. Fortunately, there's a better way. Beckman Coulter offers affordable solutions for immunoassay, chemistry, hematology, Hemoccult and other rapid test kits—from one convenient source. Walk-away instrumentation, broad testing menu, trusted quality, backed by an experienced industry leader...the pieces simply fall into place.
Call your Henry Schein Clinical Laboratory Representative today.
© 2011 Beckman Coulter, Inc. Beckman Coulter, the stylized logo and Hemoccult are registered trademarks of Beckman Coulter, Inc.
BECKMAN COULTER
We're better together


UNICO

**PowerSpin™ FX Centrifuge**

Features a 6-place angled rotor designed for 2–10-mL tubes (maximum tube size up to 16 mm x 110 mm) and a fixed speed of 3400 rpm, generating 1350 RCF (g) for superior specimen separation. Set the 0–30-minute timer to desired run length.

- Maintenance-free, brushless motors run quietly at a fixed speed of 3400 rpm, emitting only 58dB, all with a low temperature rise
- Suction-cup rubber feet hold unit firmly in place while virtually eliminating vibration
- Lid features a gasket to reduce aerosol emissions, a window for strobe speed checks, and a safety interlock switch that cuts power to motor if lid is raised
- Accessories available on request: 8-place rotor and pediatric tube adapters
- 1-year manufacturer's warranty
- Dimensions: 10.2" x 11.8" x 7.9"
- Weight: 15 lb
- 115 V/60 Hz

#C806, Fixed Speed, 6 Place
**(715-5981)** .....ea

UNICO

**Rock-IT™ Blood Tube Rocker**

A versatile rocker for hematology (blood) tubes prior to counting; also excellent for vials and gentle mixing of injectables. Nearly silent while gently completing 25 mixing cycles per minute. Platform is designed for 15 tubes and has a reversible pad that can be autoclaved.
1-year warranty.
Dimensions: 13.7" x 4.7" x 5"

#L-TTR200, 15 Place
**(715-2650)** .....ea

HITACHI
Inspire the Next

**CLA-1™ Luminometer**

This compact luminometer automatically prints a complete report that lists the tested allergens and the severity of the patient's response to each. Easy to use, the system is the simplest, quickest, and most convenient allergy testing method available today. It can analyze up to 180 allergens in 8 minutes.

#905013
**(680-1614)** .....ea

esa
MAGELLAN BIOSCIENCES

**LeadCare® II Analyzer**

Accurate, On-the-Spot Lead Testing

- CLIA-waived, reimbursable test
- Perform blood-lead measurements with only 2 drops of blood
- Accuracy and sensitivity of a reference lab test (from capillary or venous blood sample)
- Two-drop sample size requires only a finger stick; allows combination of LeadCare II with other tests
- In-office immediate results in 3 minutes

Analyzer
**(106-4441)** .....ea

Test Kit
**(106-5736)** .....48/box

CPT® Code: 83655†

Panasonic
ideas for life

## Panasonic Medical Grade Refrigerators and Freezers

### Meeting All of Your Needs for Medication and Vaccine Storage

Panasonic refrigerators and freezers offer:

- Superior temperature control and uniformity
- Door-mounted microprocessor controller
- Remote alarm contacts
- Key lock for added security

| Panasonic Model # | Henry Schein Item Code | Description |
|---|---|---|
| MPR-215F | 116-1537 | 7.6 cu.ft. Refrig./Freezer Combo |
| MPR-414F | 114-7054 | 4.9 cu.ft. Refrig./Freezer Combo |
| SR-L6111W | 106-6581 | 6.0 cu.ft. U/C Refrigerator |
| SF-L6111W | 106-6584 | 5.4 cu.ft. U/C Freezer |

www.panasonic.com/biomedical

Roche

**CoaguChek XS® System**

PT/INR Monitoring Solution

The next generation in point-of-care prothrombotin (PT) and international normalized ratio (INR) testing, this new system uses exclusive smart technology to help ensure accurate results and offers the flexibility and control that health care professionals need to confidently manage a wide range of anticoagulated patients. It is the only system to perform onboard quality control and determine patient results in a single-test chamber.

- CLIA waived
- Neutralizes therapeutic levels of heparin and LMWH
- INR corrected for hematocrit within specified range; manage a broad array of patients with a single device
- Small sample size (10 µL) for easy dosing
- Strip allows dosing from either top or side for simple blood application
- Small, battery-powered, handheld meter for portability and efficiency
- Onboard controls; no external QC necessary
- Auto-on with strip insertion and auto-off capabilities
- 18-month strip shelf life; no refrigeration needed

3-Box Starter Kit
**(108-1861)** .....ea
Contains: XS Analyzer, 3 boxes of CoaguChek XS PT strips (144 total) & CoaguChek Lancets.

5-Box Starter Kit
**(108-7757)** .....ea
Contains: XS Analyzer, 5 boxes of CoaguChek XS PT test strips (240 total) & CoaguChek Lancets.

**CoaguChek XS® Plus System**

Battery
**(109-9303)** .....ea

10-Box Starter Kit
**(109-3345)** .....ea
Contains: CoaguChek® XS Plus Analyzer, 10 boxes (480 total) of CoaguChek XS PT test strips & CoaguChek lancets.

HEMOCUE

**Hb 201+ Handheld Hemoglobin Analyzer**

Offers the same important benefits as its predecessor, the B-Hemoglobin Photometer. Smaller size gives more flexibility and mobility to use the system anytime and anywhere. Performs an internal self-test. No control cuvette required.

- Produces results in less than 1 minute with lab-quality accuracy
- 3 easy steps
- Precalibrated, portable analyzer that requires minimal maintenance
- No calibration or instrument manipulation (between cuvette/reagent batches) is needed
- Safe and easy to use
- Reimbursable
- CLIA '88 waived
- 2-year warranty

Analyzer
**(345-2344)** .....ea
Contains: analyzer, AC adapter, manual & training CD-ROM.

#3201 Microcuvettes
**(110-9167)** .....100/box
Contains: 4 packs of 25.

Microcuvettes
**(345-8733)** .....200/box
Contains: 4 packs of 50.

HEMOCUE

**Glucose 201 Analyzer**

The HemoCue Glucose Systems are based on a glucose-dehydrogenase method and consist of a small, dedicated analyzer and a unique, disposable microcuvette. They will produce lab-accurate results for diagnosing or monitoring diabetes, as well as monitoring neonatal blood glucose levels.

- More accurate and 68% higher reimbursement than glucose meters
- FDA-compliant unit when screening and diagnosing
- Analyzer: 0–444 mg/dL (0–24.6 mmol/L)
- Only 5 µL of capillary, venous, or arterial blood is needed
- No inherent limitations related to hematocrit or known drug interferences
- No recalibration needed between cuvette lots
- 2-year warranty

#120706, Analyzer
**(104-2290)** .....ea

#110706, Microcurette, Glucose
**(439-9158)**.....100/box

#110402, Microcuvette, Glucose
**(609-2005)** .....100/case

# EQUIPMENT

MIDMARK
Because we care.

### M9 Ultra Clave & Sterilizer

This reliable and efficient sterilizer features a sleek look, quiet-door operation, and pulse-air-removal technology. Front fill-and-drain tube feature means you never have to move it to maintain or drain the water. Load it, set it, and forget it.

- Reliable and easy to use
- Provides quality infection control
- Select your cycle and time is set
- Press "Start" and M9 fills with correct amount of water
- When cycle is complete, door opens automatically and quietly for fast drying time

**(386-7984)**.....ea

### Ritter M11 UltraClave® Automatic Sterilizer

Like the Ritter M9, this unit also contains an automatic opening door. Unique chamber size gives it the most sterilizing capacity of any standard countertop sterilizer on the market. Featuring a modern look, quiet door operation, and pulse air-removal technology, this sterilizer couldn't be easier, more efficient, or more reliable. You load it, set it, and forget it.

- Door opens automatically
- UL listed and CSA/ASME certified
- Chamber size: 11" x 18"
- Weight: 99 lb

**(386-8917)**.....ea

HENRY SCHEIN®

### ULTRASONIC CLEANER WITH TOUCH PAD

One-touch, press-set digital pad timer in beige, vinyl-clad housing. Solid-state circuitry. Stainless steel drain with reversible right or left hookup. 43 kHz of cleaning power. Includes an FCC-approved EMI filter and a 60-minute timer with infinity hold.

- Tank dimensions: 9⅜" x 5⅜" x 4"
- Tank capacity: 3⅜ qt
- 2½-year warranty

110-V Unit
**(104-4057)**.....ea

Accessory Package
**(100-7900)**.....ea
Contains: 1 stainless steel solid-side basket, 1 bur tray, 1 positioning cover, 2–600-mL beakers, 2 beaker covers & 2 beaker bands.

Basket Only, Solid Side, Perforated Bottom
**(101-1667)**.....ea

Cover
**(900-4354)**.....ea


The Nellcor™ N-65 Hand-Held Pulse Oximeter, reusable adult sensor and protective boot

HENRY SCHEIN PRODUCT CODE 907-2696

Nellcor N-65 Hand-Held Pulse Oximeter (with protective boot)

- Ideal for spot checks or continuous monitoring in virtually any setting

Nellcor™ Adult $SpO_2$ Finger Sensor

- Reliable in difficult conditions, such as low perfusion and signal interference

COVIDIEN
positive results for life™

COVIDIEN, COVIDIEN with logo, Covidien logo and *positive results for life* are U.S. and internationally registered trademarks of Covidien AG. ©2012 Covidien. All rights reserved. 12-PM-0017

MIDMARK

### Digital IQecg™

Makes your job easier with a range of reviewing and editing tools to help increase productivity and efficiency. At the touch of a button, you can capture an abnormal ECG as it appears on screen, enhance the diagnosis with tools like zoom and electronic calipers, quickly edit statements, and perform serial comparison.

Features include:

- Lightweight, portable design, weighing less than 11 oz
- View and monitor live, 12-lead ECG in selectable formats on screen
- Interpret and analyze data for neonate, pediatric, and adult patients via the Midmark 12-lead Resting Electrocardiogram Analysis Program
- Review and edit ECG results on screen with free text or customizable quick-edit statements
- Perform serial comparison with overlay of up to 4 ECG tests
- Save time and reduce data-entry errors by populating patient information directly from your EHR/EMR software
- Facilitate paperless office strategy: eliminate costs of thermal paper and the hassles of scanning and filing patient charts

USB Version
**(112-4498)**.....ea

IQ ECG Patient Cable
**(386-1646)**.....ea

IQ Cart
**(115-4451)**.....ea

IQ ECG Arm for IQ Cart
**(386-1649)**.....ea

MIDMARK

### IQspiro™ Digital Spirometry System

Combines a digital spirometer with innovative software solutions that make it fast and easy to capture, interpret, and retrieve patient information. This digital spirometer also features correct patient positioning that can optimize testing and an eject lever that saves time and alleviates handling of used mouthpieces.

- View real-time Flow/Volume Loop and Volume/Time graphs with fully customizable parameters
- Pre- and post-bronchodilator testing with automatic interpretation
- Eject lever alleviates handling of used mouthpiece
- Accurate and precise; meets or exceeds ATS 2005 Standards
- Lightweight, portable design weighs only 9 oz
- Correct, ergonomic patient testing orientation
- Easy-grasp, T-shaped-handle design for patient support and stability during testing
- Improved mouthpiece stability and protection with easy-latch door design
- Easy-to-print, full-page reports on standard paper

USB with Calibration Syringe
**(386-1656)**.....ea

USB
**(386-1658)**.....ea

Serial with Calibration Syringe
**(386-1659)**.....ea

Serial
**(386-1660)**.....ea

Mouthpieces
**(112-4697)**.....25/box
**(113-0611)**.....500/case

IQManager™ Software
**(112-4703)**.....ea

COVIDIEN
positive results for life™

### Nellcor® OxiMax® Single-Patient-Use Sensors

MAXFAST, MAX-FAST® Forehead, Adult
**(600-6728)**.....24/case

MAXA, MAX-A Adhesive, Adult
**(840-2389)**.....ea

MAXP, MAX-P Adhesive, Pediatric
**(285-9461)**.....ea

SC-PR, SoftCare® Nonadhesive, Preterm Infant
**(108-2147)**.....24/case

SC-NEO, SoftCare® Nonadhesive, Neonate
**(108-2172)**.....24/case

SC-A, SoftCare® Nonadhesive, Adult
**(108-2173)**.....24/case

COVIDIEN
positive results for life™

### Pulse Oximeter Sensor–Infant

Sterile, Unopened Package

When choosing a sensor for a patient, the following should be evaluated:

- Patient's body weight
- Duration of use
- Long-term, short-term, or spot-check
- Patient activity
- Infection control concerns

**(740-5205)**.....ea

COVIDIEN
positive results for life™

### Nellcor® OxiMax® N-85™ Handheld Capnograph/Pulse Oximeter

Choose from 2 convenient, portable choices for end-tidal $CO_2$ monitoring for use with intubated and nonintubated patients of all sizes. Patented Microstream® capnography technology and breath-sampling accessories ensure smooth operation, even in high humidity. N-85 monitor also contains Nellcor's latest digital signal-processing technology for accurate, reliable NiMH $SpO_2$ monitoring, a sensor assortment and an extension cable. Monitors include: AC adapter, FilterLine® accessory kit, rechargeable NiMH battery pack, operator's manual, and quick guide.

#N85-AD1, N-85 Monitor
1-year warranty.
**(108-2211)**.....ea

#N85-AD3, N-85 Monitor
3-year warranty.
**(108-2220)**.....ea

# EQUIPMENT

**Multi-Specialty Exam Table**

Features:

- Electric height range: 22"–38" and reverse tilt: ± 15°
- Electric Fowler, central base, and locking system with hand control (height, Trendelenburg/reverse, and Fowler)
- Foot control (height only)
- Manual adjustable footrest with adjustable access and back support
- Retractable footrests (stirrups) and paper roll holder
- FDA listed, ETL approved, and CE marked
- 3-year warranty

**(655-0001)**.....ea

**Women's Imaging Table**

Features:

- Electric height range: 22"–38" with Trendelenburg/reverse tilt: ± 15°
- Electric Fowler, manual adjustable footrest, and hand control (height, Trendelenburg/reverse, and Fowler)
- Adjustable access/back support on right with retractable footrests (stirrups) and paper roll holder
- FDA listed, ETL approved, and CE marked
- 3-year warranty

Clay
**(115-5448)** .....ea

**Classic Clinician Table**

These treatment tables are in a league of their own with an industry-leading 550-lb patient-load capacity. Procedures requiring both clinician and patient on the table at the same time are no problem for this solid performer.

Specifications:

- Maximum Operating Weight: 550 lb
- Base: Maple or Oak
- Tops: Rec., Rnd. Cnr., Backrest, Flex
- Padding: Plus, Semi-Firm, Firm
- Height Range: 20"–32"; 24"–36"
- Length: 73"
- Width: 27", 29", 31"
- Upholstery: TerraTouch™, Tufflex™

Rectangular Top-Shelf and Cabinet, Maple
**(625-0018)**.....ea

Rectangular Top-Shelf and Cabinet, Oak
**(625-6790)**.....ea

Rectangular Top-Shelf Only, Maple
**(625-0019)**.....ea

Rectangular Top-Shelf Only, Oak
**(625-3519)**.....ea

Rounded Corners and Cabinet, Maple
**(625-0022)**.....ea

Rounded Corners and Cabinet, Oak
**(625-0023)**.....ea

Rounded Corners, Shelf Only, Maple
**(625-0020)**.....ea

Rounded Corners, Shelf Only, Oak
**(625-0021)**.....ea

With Backrest Shelf Only, Maple
**(625-0024)**.....ea

With Backrest Shelf Only, Oak
**(625-0025)**.....ea

With Backrest Shelf and Cabinet, Maple
**(625-0026)**.....ea

With Backrest Shelf and Cabinet, Oak
**(625-0027)**.....ea

Flex Top Shelf Only, Maple
**(625-0028)**.....ea

Flex Top Shelf Only, Oak
**(625-0029)**.....ea

Flex Top Shelf and Cabinet, Maple
**(625-0030)**.....ea

Flex Top Shelf and Cabinet, Oak
**(625-0031)**.....ea
*Some restrictions may apply.

## Flo-Med 1100 — Precision Uroflowmetry System by Henry Schein Medical

### What is the Flo-Med 1100 by Henry Schein?

It is a simple, noninvasive diagnostic screening device used to calculate the flow rate of urine over time. This aids in diagnosis of bladder and sphincter function as well as prostate conditions.

- Easy to use (hygienic and convenient)
- Height adjustable
- One-touch technology
- Battery operated
- Easy calibration
- Wireless communication to laptop
- PDF can easily be stored into an EHR iPad, or other PDA (hardware capable)
- CPT 51741†

**System Requirements:**

- Windows 7, XP, Vista
- Hardware compatible with PCL5 Printer



**(112-5811)** Precision Uroflowmetry System, 1 Unit
**(112-5812)** Cup & Funnel Disposables

***Other accessories such as laptops and printers are available separately.***

**View Demo Video at:**
**http://vimeopro.com/user8610595/flo-med-1100-demo**

*†For informational purposes only. Source: ReimbursementCodes.com and/or www.cms.gov. Customer is responsible for verification of billing/coding in accordance with applicable specific circumstances.*

***Call Your Henry Schein Sales Consultant Today For More Information!***

**Hyfrecator® 2000**

Electrosurgical Unit

Dual-microprocessor technology makes it one of the safest units for in-office procedures. Controlled Tissue Response™ minimizes tissue damage, resulting in excellent clinical outcomes. Over $100 in accessories included at no extra charge.

Complete Unit
**(520-9134)**.....ea

Contains: remote control, #7-800-5 reusable switching pencil, 2 Electrolase® disposable electrodes (1–#7-100-12 sharp & 1–#7-101-12 blunt), 2–#7-796-19 sterile sheaths, 2 –#7-796-18 non-sterile sheaths, #7-796-20 wall-mounting kit, & operator's manual.

**Hyfrecator® Pencil Sheath**

For use with all models of Hyfrecator electrosurgical units.

#7-796-19, Sterile, 3"
**(520-9814)** .....25/box

#7-796-18, Non-sterile, 8"
**(686-4301)**.....100/box

**Hyfrecator® Reusable Electrodes Starter Kit**

For use with all models of Hyfrecator electrosurgical units.

#700
**(520-8883)**.....ea

Contains: #711B general-purpose electrode, #714 extra-fine epilation needle, #705A vasectomy needle, #138004 needle electrode for desiccation & coagulation, & #138018 ball electrode for broad-based coagulation.

**Hyfrecator® General Purpose Electrode**

45° angled, ⅞". For use with all models of Hyfrecator electrosurgical units.
**(520-3345)**.....ea

**Hyfrecator® Plus Reusable Foot-Control Handpiece**

For use with all models of Hyfrecator electrosurgical units.
**(440-2337)**.....ea

# Watermark Medical [ARES™] Apnea Risk Evaluation System

**A home sleep test device:**

A sleep-wearable, wireless physiological recorder worn on the forehead that acquires and stores up to 3 nights of nocturnal data. WM ARES™ Unicorder measures blood oxygen saturation ($S_pO_2$) and pulse rate (reflectance pulse oximetry), airflow (by nasal cannula connected to a pressure transducer), respiratory effort (a combined signal using pressure transducer sensing forehead venous pressure, venous volume by photoplethysmography, and actigraphy), snoring levels (calibrated acoustic microphone), head movement and head position (accelerometers).

When worn in the home, the ARES™ provides a better profile of the patient's breathing during sleep in his/her normal environment. Audio and visual indicators notify the user when the ARES™ requires adjustment, thus increasing reliability of the device in the home. The small size of ARES™ allows it to be comfortably worn in all sleep positions.

**wm watermarkmedical®**

**TuffSat® Handheld Pulse Oximeter**

Designed for superior portability, this handheld pulse oximeter fits in your pocket or is conveniently worn using the included carrying case with belt clip.

- Increased validity of $SpO_2$ and pulse rate data using PIR (relative perfusion index measurement)
- Exceeds international durability standards
- Lightweight, ergonomic design provides simple, one-handed operation
- Rubber grip offers secure handling
- Water resistant for optimal protection in all conditions
- Excellent visibility in all light conditions with large, backlit, easy-to-read LCD display
- 3-year warranty

Yellow
**(797-2663)** .....ea

Blue
**(106-9460)** .....ea

**Corometrics® Fetal Monitors**

Each noninvasive fetal monitor features an easy-to-use, compact, and lightweight design. Displays heart rate and uterine activity and includes a printer as a standard feature. Standard 9-crystal ultrasound probe tracks fetal heart rate with less repositioning compared to competition.

#171, for Single Fetus, with Printer
**(737-6552)** .....ea

#172, For Twins, with Printer
**(123-6910)** .....ea

#172, For Twins, with Detector
**(712-1510)** .....ea

GE Healthcare

Smart ideas put into practice.

Diagnostic Cardiology
Analyze. Predict. Connect.

MAC® 1600 Electrocardiograph
Resting ECG interpretation and analysis.

MAC 800 ECG System
Portable, easy-to-use, advanced ECG.

CS™ Diagnostic System
Data acquisition and management solution.

CASE® Cardiac Assessment System for Exercise Testing
Quick, easy cardiac function assessment during exercise.

CardioDay® Holter System
Simple, yet powerful stand-alone Holter system.

Patient Monitoring
Audit. Interpret. Link.

CARESCAPE™ V100 Patient Monitor
Vital signs monitor.

Dash® Patient Monitors
Compact, portable, flexible patient monitoring.

Corometrics® 170 Fetal Monitor
Compact, lightweight fetal monitor.

TuffSat® Pulse Oximeters
Durable, reliable handheld oximeter.

TruSat® Pulse Oximeters
Portable, tabletop oximeter.

imagination at work

©2011 General Electric Company – All rights reserved.
GE Healthcare, a division of General Electric Company.

# EQUIPMENT

UNICO®

**Colpo-Master™ II Center-Post Colposcope**

- Binocular head with continuous zoom (3.5X–24X)
- Dual diopter adjustment
- Center-post mount
- Quartz halogen fiber-optic illumination with intensity control and green filter

**(110-0506)** .....ea

UNICO®

**Colpo-Master™ I Colposcope**

With 5 Legs

- Binocular head with continuous zoom (3.5X–24X)
- Dual diopter adjustment
- Articulating swing-arm head mounting
- Mobil 5-leg base with locking casters
- Quartz halogen fiber-optic illumination with intensity control and green filter

**(110-0502)** .....ea

UNICO®

**Colpo-Master™ I Colposcope**

With 3 Legs

- Binocular head with continuous zoom (3.5X–24X)
- Dual diopter adjustment
- Articulating swing-arm head mounting
- Mobil 3-leg base with locking casters
- Quartz halogen fiber-optic illumination with intensity control and green filter

**(110-0501)**.....ea

UNICO®

**Colpo-Master™ I Trinocular Colposcope**

With 3 Legs

- Video-ready trinocular head with continuous zoom (3.5X–24X)
- Dual diopter adjustment
- Articulating swing-arm head mounting
- Mobil 3-leg base with locking casters
- Quartz halogen fiber-optic illumination with intensity control and green filter

**(110-0503)** .....ea

MIDMARK®

**Midmark IQvitals™ PC**

This affordable, connected vital signs device is designed specifically for the digital practice. It electronically captures blood pressure, temperature, $SpO_2$, pulse rate, and weight. The easy-to-use, one-click operation simplifies staff training and improves workflow productivity, while a seamless connection to Midmark's IQmanager™ software or select EHR/EMRs offers digital access to all patient vital sign information.

#4-000-0400, IQvitals™ PC with Blood Pressure and Alaris® Turbo Temp® Thermometer
**(115-7157)**.....ea

#4-000-0410, IQvitals™ PC with Blood Pressure, Alaris® Turbo Temp® Thermometer and $SpO_2$
**(115-7164)**.....ea

#3-009-0021, Small Reusable $SpO_2$ Finger Sensor
**(115-8778)** .....ea

#3-004-2000, IQvitals™ Mobile Cart
**(115-7758)** .....ea

MIDMARK®

**Midmark IQvitals™**

This affordable, Windows®-based, touch-screen device provides automated blood pressure, temperature, $SpO_2$ and pulse rate readings with a touch of the screen. An alphanumeric keyboard allows for fast and easy entry of patient data, and the intuitive design increases productivity and simplifies staff training. IQvitals™ can be used as a stand-alone unit, connect to a computer with IQmanager™ software, or will connect seamlessly to select EHR/EMRs.

#4-000-0500, IQvitals™ with Blood Pressure and Alaris® Turbo Temp® Thermometer
**(115-7159)**.....ea

#4-000-0510, IQvitals™ with Blood Pressure, Alaris® Turbo Temp® Thermometer and $SpO_2$
**(115-6751)** .....ea

#1-100-1605, IQvitals™ Thermal Printer
**(115-8229)** .....ea

#1-100-1603, Fairbanks® TeleWeigh™ Digital Scale
**(115-8149)**.....ea

#3-004-2000, IQvitals™ Mobile Cart
**(115-7758)** .....ea


VeinViewer Flex
"Dr. Miyake says his VeinViewer boosted referrals by 20%, cut costs by 30%..."
-Augmented Reality: Reality, Only Better
Economist.com, Dec. 2007
IMPROVE VASCULAR ACCESS
The only clinically proven direct projection, hand-held vein illuminator shown to increase the number of venous options, increase patient referrals, reduce the time to start an IV, and increase patient satisfaction.
Potentially Improve:
• Patient satisfaction
• Patient throughput
• Schedule efficiency
• Vascular access rates
• Complication avoidance
VeinViewer Flex:
-See veins up to 10mm deep
-Harmless near-infrared & LED
-Battery powered
-Customizable upgrades
-No consumables
www.veinviewerflex.com
CHRISTIE
© 2012 Christie Medical Holdings, Inc.
020-300119-01 Rev 1 (2-2012)

When you want the best for your practice,
Find Your Solution.
FALL 2012 PODIATRY PROMOTION
$400 REBATE/FREE PRODUCT INCENTIVE
1 $400 REBATE
2 FREE MTI SG SERIES STOOL AND VISION BLOCK
3 FREE LEG WRAPPING SUPPORT*
Purchase an MTI 527S or MTI 527P Series Podiatry Chair between September 1, 2012 and November 30, 2012, with delivery taken by December 31, 2012, and choose to receive one of the following:
1 $400 REBATE
2 FREE MTI SG SERIES STOOL AND VISION BLOCK
3 FREE LEG WRAPPING SUPPORT*
For more information or details on this promotion or inquiries about the MTI 527 Series Podiatry Chairs or Removable Leg Wrapping Support*, please call MTI's Sales Department at (800) 924-4655 or visit our web site at www.mti.net.
*Patent pending
801-875-4999 • 800-924-4655 • Fax 801-952-0548
3655 Ninigret Drive, Salt Lake City, Utah 84104
www.mti.net
Strength in patient care.™
MTI

# HENRY SCHEIN® Microscope Slides & Cover Glass

| ITEM CODE | DESCRIPTION |
|---|---|
| | **MICROSCOPE SLIDES** (25mm x 75mm x 1mm) |
| (102-7277) | • Precleaned, premium quality glass<br>• Smooth edges<br>• Noncorrosive, nonfogging<br>**PLAIN SLIDES**<br>Crystal clear glass; ground edges |
| (102-5605) | **FROSTED SLIDES**<br>Frosted one end; ground edges |
| | **PACKAGING:**<br>Each Box = 72 Slides 20 Boxes = 1 Case |
| | **COVER GLASS** (22mm x 22mm) |
| (102-6803) | **COVER GLASS #2**<br>#2 thickness: 0.17mm – 0.25mm<br>**PACKAGING:**<br>Each Box = 1 oz. (approx. 100 pieces)<br>10 Boxes = 1 Case |

UNICO®

**IP730 Series Microscopes**

Designed to provide crisp, clear imaging on a versatile and ergonomic platform. Available with 30° inclined binocular or trinocular heads. Features Seidentopf optical design with 55mm–75mm interpupillary distance adjustment. Both heads rotate 360° and lock in place with a thumbscrew. Eyepieces are standard with 10X 22mm extra-wide field eyepieces for viewing comfort and clarity.

#IP730, Advanced Binocular Microscope, Achromat
Objectives: 4X, 10X, 40X, 100X Achromat
**(106-9122)** .....ea

#IP730PL, Advanced Binocular Microscope, Plan
Objectives: 4X, 10X, 40X, 100X Plan
Illumination: 6 V/20 W Halogen
**(109-9806)** .....ea



UNICO®

**G380 Microscope**

Designed for viewing comfort, this microscope provides crisp, clear imaging on a versatile, ergonomic platform. Available in a variety of optics choices and body configurations. Standard 10X High Eye-Point eyepieces are engineered to reduce eyestrain for users who wear glasses. Each eye tube features independent focusing diopter adjustment to compensate for the natural vision differential between each eye. Base design adds stability to the body and allows extra room for hand access to the oversized coarse-focus and fine-focus controls and easy access to the coaxial mechanical stage controls.

**(281-4869)** .....ea
Contains: dust cover & 2 extra fuses.

## Astra 300™

**Intuitive Handheld Spirometry**

Enter data, review patient results and send or print reports with precision and ease.

- Totally portable
- No calibration needed
- PRE/POST drug testing
- USB print and PC capability

## Astra TOUCH™

**Comprehensive Desktop Spirometry**

Diagnostic decisions directly from the screen. PC links via USB or Bluetooth stores data archivally, transfers tests to EMR or performs real- time direct testing.

- Thermal Report
- Multifunction Capabilities
- Easy Fingertip Navigation
- Digital Turbine Accuracy

sdi DIAGNOSTICS

Call SDI at 800-678-5782 · www.sdidiagnostics.com · Fax 508-230-8497

*The Spirometry Source*

**HealthSmart® DigiScan™ Multifunction Thermometer**

Infrared technology instantly reads body temperature. Forehead read for accurate, noninvasive method that is ideal for minimizing disturbances while patient is sleeping. Ear read is precise and easy to use with the simple press of a button. Talking Function Audio readings in multiple languages (English, Spanish, French, German, Italian, and Russian) to assist user in identifying temperature. Compact and easy to hold, with large, backlit LCD screen. LED fever alarm indicator and 30-reading memory storage. Date and time display and Fahrenheit/Celsius switchable.

**(151-0053)** .....ea

**Signature™ Series Stainless Steel Stethoscope**

Stethoscope features a deluxe stainless steel chest piece, stainless steel dual inner-spring binaural, a nonchill ring and diaphragm retaining ring. Includes two extra sets of flexible eartips and 1 extra diaphragm.
Limited lifetime warranty.
22" tubing, length: 30"

Adult Size .....ea

Specify:
Blue.....**(151-0037)**
Black .....**(613-3373)**
Gray .....**(151-0036)**
Burgundy..... **(611-4221)**
Hunter Green .....**(404-8520)**

Infant Size.....ea

Specify:
Pink.....**(151-0035)**
Light Blue.....**(868-0331)**

SummitDoppler

**LifeDop™ Dopplers and Probes**

Offers great sensitivity, a recording option, and superior sound. Long-lasting battery saves money. Comfortable, easy-to-hold probes. Very durable.

- Large, easy-to-read LCD and technically advanced software display extended 50–220 bpm heart rate as well as remaining battery life, signal quality, and probe identification; available in both display and nondisplay units
- Built-in Audio Recorder LifeDop™ is the first Doppler to feature a built-in solid-state recorder; records up to 32 seconds of Doppler sounds (nonrecording Dopplers also available)
- Quality speaker and audio processing for superior sound
- Improved battery management design to reduce frequency of battery charges

#L150R, Nondisplay Doppler, with Recharger
**(118-8427)** .....ea

#L150A, Nondisplay Doppler, with Audio Recorder
**(118-8694)** .....ea

#L250, Display Doppler, Basic Model
**(118-3501)**.....ea

#L250AR, Display Doppler, with Recharger and Audio Recorder
**(118-9924)** .....ea

Probe .....ea

Specify:
#P200, Obstetrical, 2MHz
Optimized for deep penetration. **(118-6433)**
#P300, Obstetrical, 3MHz
For early fetal heartbeat
detection and overall use.....**(118-2758)**
#P800, Vascular, 8MHz .....**(118-9695)**

One probe is included with purchase of doppler. Specify choice when ordering.


## Buy any EZ Autoclave by the end of 2012...

Closed Door System Fully Automatic Autoclaves
■ Hepa Filtered Air Drying ■ Cassette Capacity 3 large + 3 half

EZ Models come with a 2 Year Parts and Labor Warranty

## ... And the choice is yours!

A $616 Retail Value

or

**Free Distiller**

**$400**
Manufacturer's Rebate

Buy any EZ autoclave from October 1 thru December 31, 2012 and get your choice of a FREE 1 gallon Distiller or a $400.00 manufacturer's rebate. To redeem this offer the end user must send to Tuttnauer a copy of the Henry Schein invoice, the serial number of the autoclave, and indicate either the free Distiller or Rebate on the cover letter or fax. Redemptions can be faxed to (631) 737-0720, Attention: EZ Promotion, or mailed to Tuttnauer USA, Attention: EZ Promotion, 25 Power Drive, Hauppauge, NY 11788. Redemption deadline is January 25th, 2013. Please allow 4 weeks for receipt of rebate or shipment of free goods.

Tuttnauer USA Co. Ltd., 25 Power Drive, Hauppauge, NY 11788
Tel: (800) 624 5836, (631) 737 4850, Fax: (631) 737 0720
Email: info@tuttnauerUSA.com, www.tuttnauerUSA.com

Tuttnauer™
Your Sterilization & Infection Control Partners



## sop for liposuction

THE VASER LIPO® DIFFERENCE

SOUND SURGICAL TECHNOLOGIES LLC

**A major advance in the application of ultrasonic technology to cosmetic procedures.**

This system is specifically designed to preserve as much of the tissue matrix as possible, yet still remove the desired amount of fatty tissue.

The **VASER** Amplifier delivers precise amplitude control in pulsed or continuous mode.

The **VASER** Handpiece facilitates precise contouring in all anatomical applications.

Small diameter, solid-grooved probes come in a range of diameters for precisely breaking apart small volumes of fat in delicate areas or rapidly debulking larger volumes.

**CALL YOUR TRUSTED ADVISOR FROM HENRY SCHEIN**
for more information or to request a demonstration.




HENRY SCHEIN®

**ONESTEP+ URINALYSIS READER & URINE STRIP COMBINATION**

- CLIA waived
- Readings eliminate subjectivity of visual color interpretation, which makes urinalysis simpler and more reliable
- Features no-touch operation: After strip placement, measurement starts automatically, which makes urinalysis faster and more hygienic
- For use with Henry Schein Brand Urispec™ 11-Way Reagent Strips only

Analyzer

**(900-7017)**.....ea

Contains: 1 OneStep+ urinalysis reader & 12 bottles of Urispec 11-Way urine strips.

**URISPEC™ 11-WAY URINE REAGENT TEST STRIPS**

- Unique "read all" feature at 60 seconds
- Similar to Multistix® 10 SG Plus Ascorbic Acid Test and all brands of 10 SG products
- Glucose, bilirubin, ketone, specific gravity, blood, pH, protein, urobilinogen, nitrite, and leukocytes
- Reader available
- Ascorbic acid pad to ensure uncompromised results
- Room-temperature storage

Strips

**(102-2285)**.....100/btl

CPT® Codes: 81000†/81001†/81002†/81003†


The perfect pair for testing diabetic patients.
HbA1c and Microalbumin are both available for point-of-care (POC) testing.
Answers for life.
SIEMENS
The perfect pair (HbA1c & microalbumin for POC testing):
• Perform quantitative urine microalbumin, creatinine, and albumin-to-creatinine ratio tests, and CLIA-waived HbA1c for managing diabetes on one analyzer: the DCA Vantage™
• The DCA Vantage analyzer has over 15 years of proven performance in the Point-of-Care (PoC) testing segment and over 100 peer reviewed articles to provide confidence in test results
• As another option, the Clinitek Status® can provide a 1 minute, CLIA-waived, semi-quantitative urine microalbumin, creatinine, and albumin-to-creatinine ratio results
• You can use both the DCA Vantage and the Clinitek Status analyzers in CLIA-waived offices for monitoring the HbA1c and microalbumin levels of patients with diabetes, as recommended by the ADA
SIEMENS
www.usa.siemens.com/diagnostics


small package
BIG REVOLUTION
It will change the way you view rapid testing...
FLU A: +
FLU B: –
BD Veritor System
New
BD Veritor System
CLIA-waived for Rapid Detection of Flu A+B
BD
Helping all people live healthy lives
• Proven Performance vs PCR — PCR is currently the highest sensitivity standard available
• Reproducibility You Can Count On — Unique Adaptive Read Technology helps reduce false-positive results
• Results You Can Trust— Easy-to-read digital display eliminates subjective interpretation
• Convenient Workflow— Testing requires minimal hands-on time
Medical technology that captures the trusted answer
www.bd.com/ds/veritorsystem
BD Diagnostics
7 Loveton Circle
Sparks, MD 21152-0999
www.bd.com/ds



HAVE YOU JOINED PRIVILEGES?

*Enroll today!*

Privileges® EXCLUSIVE REWARDS FOR PREFERRED CLIENTS

1.866.MED.VIPS (1.866.633.8477)
www.henryschein.com/privilegesmd



5% Off! YOUR NEXT REPAIR

TRUE VALUE

QUALITY REPAIRS | EXCEPTIONAL SERVICE | GENUINE PARTS

PROREPAIR MANUFACTURER APPROVED REPAIR SERVICES

ASK US ABOUT OUR TRADE-IN SPECIALS!

Like us on Facebook
www.facebook.com/ProRepair

Send Us Your Repairs:


Instrument Sharpening & Surgical Repair

Endoscope Repair

Sterilizer Repair

Small Equipment Repair

5% Off!

Use this gift certificate for 5% off your next repair.

HENRY SCHEIN® PRO REPAIR

EXPIRES DECEMBER 29, 2012
Mention Promo Code **2QMED** to ensure promotional discount.

CUSTOMER # _____

CUSTOMER NAME _____

CUSTOMER PHONE # _____

© 2012 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors. Original certificate only must be sent with repair to be valid. VALID ONLY THROUGH HENRY SCHEIN PROREPAIR DIVISION. Manufacturer repairs not included. Cannot be combined with any other promotion or discount. Minimum billing amount of $89 necessary. One certificate per repair.

HENRY SCHEIN® PRO REPAIR

*For repair mailer kits, packaging material or for more information call ProRepair at:*
**1-800-367-3674** *8am–7pm (et)*
*www.prorepair.com*
*prorepair@henryschein.com*


**ZOLL AED Plus®**

Bringing Lifesaving Defibrillation to Everyone

The only AED with CPR feedback and an ECG waveform. By supporting CPR as well as defibrillation, this device can help every unresponsive victim. Features Real CPR Help®, a tool that is able to actually see what user is doing and provides audio and visual prompts to help them do it with confidence and clarity.

- Provides a one-piece electrode for accurate placement
- Uses consumer lithium batteries that are easy to replace, long-lasting, and inexpensive

Complete Unit
**(866-7559)** .....ea
Contains: AED, electrodes, batteries, carry case, ECG, wall-mount bracket & operator's guide.

CPR-D padz®–Adult Defibrillator Pad
**(253-2611)** .....ea

pedi padz® II–Pediatric Defibrillator Pad
**(203-7054)** .....ea

Lithium Batteries
Plus Battery 123 Lithium
**(610-4769)** .....10/Pkg.

Pacing Electrode
**(200-1971)** .....ea

Adult + Pediatric Electrode
**(275-7482)** .....ea

Soft Carrying Case
**(106-1937)** .....ea

3D Wall Sign
**(110-5384)** .....ea

Wall Cabinet
**(108-7520)** .....ea

AED Plus Simulator
**(499-7385)** .....ea

CARDIAC science

**Powerheart® AED G3 Pro Package**

AED with 3 operating modes: manual, AED, and ECG. RescueReady dependability for comprehensive daily, weekly, and monthly self-tests, including confirmation of battery, electrical circuitry, and software (weekly and monthly self-tests also include partial- and full-energy charge of electronics, respectively). STAR Biphasic Waveform and RYHTHMx technology deliver customized, variable escalating energy protocol for maximum effectiveness, including synchronized shock where patient waveform is available. Noncommitted shock feature prevents the AED from delivering a shock if a patient's heart rhythm returns to normal while AED is charging in preparation for a shock. Has voice, visual, and text prompts to guide user through the rescue process in a simple manner, based on the 2005 AHA/ERC guidelines for CPR.

- Simple, easy-to-use, one-button operation
- Intuitive and comprehensive voice prompts guide user through rescue

#9300P-501PPC, Complete Package
**(110-2296)** .....ea
Contains: 1–#9145 battery, 2 pairs adult defibrillation pads, 1 carry case, 1 ready kit, 1 Quick Start tool kit CD (includes Quick Start guide, owner's & service manual, training video, RescueLink & MDLink software) & 1 serial-data-download cable.
**Battery charger sold separately.**

CARDIAC science

**Powerheart® AED G3 Automatic**

Fully automatic AED that does not require the operator to push a shock button. RescueReady dependability with comprehensive daily, weekly, and monthly self-tests, including confirmation of battery, electrical circuitry, and software (weekly and monthly self-tests include partial- and full-energy charge of electronics, respectively). STAR® biphasic Waveform and RHYTHMx™ technology deliver customized, variable escalating energy protocol for maximum effectiveness, including synchronized shock. Noncommitted shock feature prevents the AED from delivering a shock if a patient's heart rhythm returns to normal while AED is charging in preparation for a shock.

#9300A-501PPC, With Monitor Package, AHA/ERC 2005 Guidelines Compliant
**(110-2293)** .....Ea.
Contains: 1–9146 battery, 2 pairs of adult defibrillation pads, 1 carrying case, 1 ready kit, 1 Quick Start tool kit CD (includes Quick Start guide, 1 operator & service manual, 1 training video, RescueLink & MDLink) & 1 serial-data-download cable.

#9300E-501PPC, with Display Package, AHA/ERC 2005 Guidelines Compliant
**(110-2294)** .....ea
Contains: 1–#9146 battery, 2 pairs of adult defibrillation pads, 1 carry case, 1 ready kit, 1 Quick Start tool kit CD (includes Quick Start guide, operator & service manual, training video, RescueLink & MDLink) & 1 serial-data-download cable.

Powerheart® Adult Defibrillation Pads
**(718-7703)** .....ea

GO from

# OW! to WOW!™

NEW!

**The Pronto®** offers noninvasive and quick spot-check testing of total hemoglobin (SpHb®), SpOz, pulse rate and perfusion index which may provide the following benefits:

- Facilitates timely patient assessment
- Reduces the need to wait for lab results
- Decreases risk of accidental needle sticks and exposure to blood-borne pathogens
- Reduces painful needle sticks and time-consuming blood draws

MASIMO

HENRY SCHEIN®
FINANCIAL SERVICES
*Business Solutions for Healthcare Practitioners*




## Which Rewards Program Will You Choose?

### Cashback Rebate Rewards

- Earn 2% **CASH BACK** on qualifying Zahn transactions up to $100,000 a year†
- Earn UP TO 2% **CASH BACK** on other qualifying transactions†
- Get **AUTOMATIC REDEMPTIONS** in $50 increments, posted to your account†

## OR

### Maximum Rewards®

- Earn **1.5 POINTS** per $1 in qualifying Zahn transactions*
- Earn **1 POINT** per $1 in other qualifying transactions*
- Redeem for **YOUR CHOICE** of exciting travel, merchandise, or gift cards

### Both Options Offer:

- **Extended Protection Program for Equipment Purchases**
- **Full Travel Benefits**
- **No Annual Fee**

The issuer of the card reserves the right to change the credit card account terms should your credit profile change or for other reasons described in the Cardmember Agreement. Cards are issued by First Bankcard, a division of First National Bank of Omaha.
†You will receive 2% cash back on up to $100,000 annually on qualifying Henry Schein transactions and 0.50% on qualifying Henry Schein transactions above $100,000.
*Complete details, including restrictions, limitations and exclusions will be available when you become a Cardmember.

HSFS

**Join Our Community**
Join Us on Facebook
facebook

Henry Schein Financial Services is not a bank, does not represent itself as such, and does not conduct banking activities.
© 2012 Henry Schein, Inc.
No copying without permission.
Not responsible for typographical errors.

**1-866-398-9296** or
www.henryschein.com/creditcard

# Introducing the *new* ACE Axcel™ Clinical Chemistry System

Meet the ACE Axcel, a third generation chemistry analyzer from Alfa Wassermann, the #1 supplier of chemistry systems for the Physician Office Laboratory (POL).

Cleared by the FDA specifically for POL use, ACE Axcel offers new touch screen functionality, an intuitive user interface, and Internet connectivity.

**Contact your Henry Schein sales consultant for more details.**
**For more information, please visit www.ACEAxcel.com or call 800-220-4488**

ALFA WASSERMANN
Diagnostic Technologies, LLC

Call: **1-800-P-SCHEIN** (1-800-772-4346) • 8am–9pm (et) Fax: **1-800-329-9109** 24 Hours
**www.henryschein.com/medical**

Due to manufacturer price increases, prices are subject to change without notification. Offer valid on our full array of products, excluding flu vaccine and Synagis®. Upon any request by Medicare, Medicaid, Tricare or other payer, you must report the value of any benefit received from a discount program (e.g., points redemptions, gifts or other special awards) ©2012 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors. No adjustments from prior sales. Offer not to be combined with other promotions and/or special contract pricing. Void where prohibited. Local regulatory requirements may apply to use or installation of certain products. It is your responsibility to understand and comply with any such requirements prior to purchase, use or installation of products.

Printed on recycled paper.
Please recycle it again.

Mention **PROMO CODE FB** to ensure promotional pricing.

12MS6771